

Gout-often overlooked-can be effectively treated



PROBENECID

Gout is often easier to treat than to diagnose. Sudden soft tissue swelling, acute joint inflammation, urate calculi—all may be indicative of early gout. A family history of gout is also highly suggestive.


BENEMID gives gratifying results in the management of chronic gout and prolongs the intervals between acute attacks. Excretion of uric acid increases; high serum uric acid levels tend to become normal; inflammation decreases; the formation of tophi may be prevented and those present may become smaller.



MERCK SHARP & DOHME

DIVISION OF MERCK & CO., INC., PHILADELPHIA 1, PA.

Supplied: in 0.5 Gm. tablets. Dosage 1 to 4 tablets daily.



Trasentine-Phenobarbital


C I B A Summit, N. J. integrated relief... mild sedation visceral spasmolysis mucosal analgesia

TABLETS (yellow, coated), each containing 50 mg. Trusentine® hydrochloride (adiphenine hydrochloride CIBA) and 20 mg. phenoberbital


2/222614

HYDELTRA-T.B.A.

for relief that lasts—longer



Anti-inflammatory effect lasts longer than that provided by any other steroid ester



Dosage: the usual intra-articular, intra-bursal or soft tissue dose ranges from 20 to 30 mg, depending on location and extent of pathology.

Supplied: Suspension 'HYDELTRA'-T.B.A.—20 mg./cc. of prednisolone tertiary-butylacetate, in 5-cc. vials.



1. Hollander, J. L., Paper read at conference in New York City, May 31 and June 1, 1955

index to California Medicine advertisers

Abbott LaboratoriesInsert 32-33,	Lilly and Company, Eli 64
opposite 33, 108, 109	Livermore Sanitarium and Psychiatric
Alexander Sanitarium Incorporated28	Clinic, The 90
Alum Rock Hospital70	
American Cyanamid Company48, 49	
American Meat Institute	
Associated Concentrates44	
Ayerst Laboratories106	
12) 01 00 22007 4007 000	Medical Protective Company, The 78
Baxter, Inc., DonInsert 88-89	
Benjamin, M. J	
Boyle & Company68, 69	
Burroughs Wellcome & Co.	Merres Company, w not big 1 house
(U.S.A.) Inc54, 71, 118	North Community The The
(U.S.A.) Inc	• • , , ,
	New York Polyclinic, The
California State Personnel Board44	
Ciba Pharmaceutical Products, Inc	
Classified Advertisements	,
Coca-Cola Company, The	, , ,
Compton Sanitarium	,
Cook County Graduate School of Medicine 58	
Corn Products Refining Company 50	1 41 100, 174000 60 CONSPAND,
Cutter Laboratories4th Cover	Pfizer Laboratories, Division, Chas. Pfizer & Co., Inc3, 9, 17, 22, 44, 81, 110, 120
Darwin Laboratories111	Pharmacia Laboratories, Inc119
Desitin Chemical Company 62	Physicians Casualty and Health Associations110
Devereux Foundation, The 82	Pitman-Moore Company, Division of Allied
Doctors Business Bureau, The	Laboratories, Inc46, 47
	Pottenger Sanatorium and Clinic, The102
Eaton Laboratories25, 113	
Endo Laboratories Inc38, 39, 115	
	Raleigh Hills Sanitarium, Inc
Flint, Eaton & Company 53	
Foot-so-Port Shoe Company 78	
• •	Inc18, 36, 37, 74, 89, Third Cover
General Electric Company, X-Ray Department 30	
Greens' Eye Hospital	
Oreens Die Hospitas	
Hobart Laboratories, Inc31, 96	
Hoffmann-La Roche Inc34, 51, 75	Searle & Co., G. D
Horlicks Corporation98	
Hypnosis Symposiums 116	
	Mathieson Chemical Corporation 67
Irwin, Neisler & Co	Stacey's
	Superior Stamp Company 90
Knox Gelatine Company, Inc., Chas. B 95	;
• • • • • • • • • • • • • • • • • • • •	Twin Pines Neuropsychiatric Sanitarium116
I also I also Coustom Catored Ica Cacama	
Lady Lois Custom Catered Ice Cream	
Lakeside Laboratories, Inc	
Lawton School for Medical Assistants	
Lederle Laboratories Division, American	, Wallace Laboratories29
Cyanamid Company12, 13, 24, 35, 57, 63	·
85, 91, 102, 102	
Leeming & Co., Inc., Thos	
Lewal Pharmaceutical Company 56	,

for your

patient

for the objective symptoms for the subjective distress

the first and only starristiccorticold

prednisolone and hydroxyzine

provides the anti-recursive, anti-inflammatory action of the most effective steroid, Syrkapus, complemented by the experior neutral haloquitating effects of Arkage. Minimal disturbance of fluid and electrolyte metalogism is an analyte action or major booking in shareolle action.

PUR GENELACIONE ACESPONEL AND MANGAMENTO IN AMERIKAÇÃO APTURITIS... MONTANTA POLA AGEN DISMARES, ESONOMAL ARTIMA AUGULAMMATORY DERMATOSES.

> Supplied: Each green, scored Arapaxon Tablet contains 5 mg. prednisolone (Sregane) and 10 mg. hydroxyzine hydrochloride (Aranax). Bottles of 30 and 100.

特技管限 LABORATORIES

Chaston, Chas: Pfizer & Co., Inc. Brooklyn S, New York



fraciemerk

Most patients treated with 'Compazine'...
''showed prompt, marked improvement in
their emotional outlook."

Vischer¹ reports that 37 of 38 patients treated with 'Compazine' for psychoneurotic symptoms had "marked" or "moderate" relief. "21 patients were totally free of such symptoms and obtained a better response than they had to any previous medication. Confusion and depression disappeared dramatically, and primary complaints became less important to them as they became far more relaxed, less nervous and less tense. Many were able to return to work or had renewed interest in their surroundings and hobbies."

Available in 5 mg. tablets.

Before prescribing 'Compazine', it is important that the physician be fully conversant with our literature, particularly those parts of it dealing with administration, dosage, side effects, cautions and contraindications.

 Vischer, T.J.: Clinical Study of Proclorperazine, A New Tranquilizer for the Treatment of Non-Hospitalized Psychoneurotics, New England J. Med. 256:26 (Jan. 3) 1957.

Smith, Kline & French Laboratories, Philadelphia 1

Compazine*

a true tranquilizing agent with minimal side effects

*Trademark for proclorperazine, S.K.F.





in continuous service



 ${\bf Hydrochloride} \\ {\bf Chlortetracycline} \ {\bf HCl} \ {\bf \it Lederle} \\$

Today, after eight years of world-wide use, physicians in every field of medicine routinely employ AUREOMYCIN in their practices.

Exhaustively tested, thoroughly proved, AUREOMYCIN remains unsurpassed in anti-infective range, variety of application, effectiveness at *low* dosage.

A convenient dosage form for every patient.

LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY, PEARL RIVER, NEW YORK



brings peace of mind

WITHOUT DISTURBING MENTAL ALERTNESS

QUICKLY—action starts within 15 minutes. **SAFELY**—no significant side effects reported.


INDICATIONS: For the "more normal" patient, in conditions where emotional stress is a factor, such as: tension • anxiety • neuroses • senile anxiety • insomnia • climacteric • peptic ulcer functional G.I. spasm • hypertension • cardiac disease • anxiety, restlessness, night terror and hyperactivity in children.

DOSAGE: Adults, usually one 25 mg. tablet, or two teaspoonfuls Syrup, three times daily. Children (over 3 years), usually one 10 mg. tablet, or one tsp. Syrup, once or twice daily.

Since response varies from patient to patient, dosage should be adjusted accordingly.



SUPPLIED: Tablets: Tiny 10 mg. (orange) and 25 mg. (green), bottles of 100. Syrup: 10 mg. per teaspoonful, pint bottles.





BIBLIOGRAPHY: 1. Farah, Luis: Preliminary study on the use of hydroxyzine in psychosomatic affections. Intl. Rec. of Med. and G.P. Clin. 169:379:389 (June) 1956. 2. Robinson, Harry M., Jr., et al: Hydroxyzine (ATARAX) hydrochloride in dermatological therapy. J.A.M.A. 161:604 (June) 16) 1956. 3. Shalowitz, M.; Hydroxyzine: a new therapeutic agent for senile anxiety states. Geriatrics 11:312 (July) 1956. 4. Noel, Guy: report by Neuropsychiatric Department of the Civil Hospital of Charleroi, Dec. 19, 1955. 5. Heuver, G., Lang, J. L. and Chevreau, P.P.: Initial results obtained with ATARAX in child psychiatry. Children's Neuropsychiatric Service, La Salpetriere, Paris. 6. Bayart, J.: On treatment by hydroxyzine of nervous conditions during childhood. Presented at the International Congress of Pediatrics, Copenhagen Denmark, July 22-27, 1956.

There are many short periods of time which, if measured correctly, are considered valuable diagnostic durations—such as the P-R interval in ECG interpretation, and the minutes during which a patient consumes oxygen in a BMR test. If the readings related to these measurements are to be used with complete confidence, it is wise to consider another important measure of time—and that is the background of the

instruments which produced them.

Sanborn Viso-Cardiette

The TIME

TESTED

Sanborn Metabulator

diagnostic team

No one understands better than a physician that it takes time to become suitably proficient

in a chosen work. The unmatched

background of knowledge and experience making possible
such fine instruments as the Viso-Cardiette and Metabulator
did not come about overnight, and is the result of almost
40 years of successful medical instrument development. Such
a background assures you that it is safer to select Sanborn.

SANBORN COMPANY, WALTHAM SA, MASSACHUSETTS

GLENDALE Branch Office 203 So. Verdugo Rd., Chapman 5-6761 and 5-6762 SAN FRANCISCO Branch Office 2310 Irving St., Lombard 4-1900 SAN DIEGO Branch Office Bank of America Bldg., Belmont 9-5653

In Angina Pectoris

The Attacks Lessen and

The Patient Loses His Fear

Pentoxylon



ach long-acting tablet provides the sustained coronary vasodilating effect of 10 mg. pentaerythritol tetranitrate (PETN) as well as the tranquilizing, anxiety-relieving and pulse-normalizing action of 1 mg. Rauwiloid® (alseroxylon).

- Reduces incidence of attacks
- Reduces severity of attacks
- Reduces or abolishes need for fast-acting vasodilating drugs
- Reduces tachycardia
- Reduces blood pressure in hypertensives, not in normotensives
- Increases exercise tolerance
- Produces demonstrable ECG improvement
- * Exceptionally well tolerated
- Minimal side actions
- Dosage: one to two tablets q.i.d.,
 a.c. and h.s.

And

for faster relief of the acute attack


Medihaler-Nitro®

octyl nitrite (1%) in aerosol solution

For faster, safer, and more lasting relief of acute anginal attacks . . . Measured-dose inhalation provides instantaneous coronary vasodilatation via the lungs . . . one in-

halation equivalent to 1/100 gr. nitroglycerin... fewer side actions than amyl nitrite... pocket-sized aerosol set... each 10 cc. bottle delivers 200 metered doses.





... is the price your patient pays in heart disease, hypertension, arteriosclerosis—and the many other hazards of obesity.


In addition to suppressing the obese patient's appetite—

helps to make life look brighter. It keeps morale up and food intake down.

Syndrox Tablets (5 mg.) Elixir (5 mg. per 5 cc.)




Have you seen these latest facts on the cost of medical care?










These are some of the reasons
why today, more than ever before,
prompt and proper medical care
may well be one of the
biggest bargains of your life!



PARKE, DAVIS & COMPANY
Makers of medicines since 1866 - Detroit 32 Michigan

Many of your patients, Doctor, are among the millions of people who have seen this newest Parke-Davis advertisement on the cost of today's more effective medical care. We believe that this sensible-talking ad—the latest in a continuing P-D series appearing in LIFE, TIME, SATURDAY EVENING POST and TODAY'S HEALTH—dramatically confirms our yearlong public service message to your patients: "prompt and proper medical care may well turn out to be one of the biggest bargains of your life."

You may be assured that Parke-Davis national advertising will continue to be in our mutual best interests . . . designed to give your patients a better understanding of costs and a clearer appreciation of the effectiveness of modern medical care. PARKE, DAVIS & COMPANY, Detroit 32, Michigan.



MATROMYCIN®

a new antibiotic to protect patients against infection or superinfection due to resistant staphylococci, particularly in hospitals where resistance is a problem and the causative agent can be determined

"Of 140 strains of Staphylococcus aureus isolated from patients [in children's wards], 22 were found to be ... markedly resistant . . . to erythromycin and in each instance the organism was either quite sensitive or moderately sensitive to [Matromycin]."

outstandingly effective and well tolerated in oral dosages

In a series of children with bacterial pneumonia, Matromycin achieved a "quite favorable" therapeutic effect; in the same hospital, "thirteen children with possible *Staphylococcus* enteritis responded readily to [Matromycin]." In all the cases, Matromycin produced "no demonstrable toxic effects."

Capsules, 250 mg.: bottles of 16.

1. Ross, S.: Antibiotics Annual 1955-1956, New York, Medical Encyclopedia, Inc., 1956, p. 600.





In the majority of 112 cases of acute, persistent or relapsing urinary tract infections "nitrofurantoin [FURADANTIN] was effective clinically, with a pronounced improvement, indicated by the appearance of the urine as well as by verbal commendation by the patient, within 24 to 36 hours... Some of these patients with seemingly impossible cases were cured of their infection."*

FURADANTIN first because of these advantages: a specific for urinary tract infections • rapid bactericidal action • negligible development of bacterial resistance • nontoxic to kidneys, liver and blood-forming organs.

AVERAGE DOSAGE: ADULTS—four 100 mg. tablets daily; 1 tablet during each meal and 1 on retiring, with food or milk. In acute, uncomplicated infections, 50 mg. q.i.d. may be prescribed. If patient is unresponsive after 2 to 3 days, increase dose to 100 mg. q.i.d.

CHILDREN-5 to 7 mg. per Kg. (2.2 to 3.1 mg. per lb.) per 24 hours.

SUPPLIED: Tablets, 50 and 100 mg. Oral Suspension (25 mg. per 5 cc. tsp.).

*Stewart, B. L., and Rowe, H. J.: J. Am. M. Ass. 160:1221, 1956.

EATON LABORATORIES, NORWICH, NEW YORK

Nitrofurans - a new class of antimicrobials - neither antibiotics nor sulfonamides

Meat...

and the Need for Reasonable Amounts of Fat to Maintain Good Health

The place of dietary fat in human nutrition is being widely discussed. Scientists who know tell us that some fat is desirable in our everyday diet whether body weight has to be reduced or not.

Why are fats important to good health? Because they contribute to the processes of growth and replacement of tissue. Because they are an important source of calories. Because they make foods more inviting and better tasting.

Despite great advances in nutritional knowledge the exact role of fat in the diet is not yet fully defined. Yet it is known that some fat is necessary in healthful day-to-day nutrition.


For good health, good nutrition, and tastier meals, be sure there is some fat—in reasonable amounts—in your daily diet.

Meat—the most versatile of high protein and B vitamin foods—because of its many varieties and cuts is an excellent vehicle to provide this essential fat in any amount desired. Animal fat products, such as lard, are not only economical, but add delightfully to the taste appeal of hundreds of recipes.

The nutritional statements made in this advertisement have been reviewed by the Council on Foods and Nutrition of the American Medical Association and found consistent with current authoritative medical opinion.

American Meat Institute

Main Office, Chicago... Members Throughout the United States



Proper formula for treating "Rheumatism" patients



With TEMPOGEN, many patients obtain adequate relief from immobilizing "rheumatic" pain with lower hormone dosages than are ordinarily required, because of the enhanced antirheumatic effect provided by the prednisolone-salicylate combination. In addition, the likelihood of the occurrence of gastric distress or adrenal ascorbic acid depletion is minimized.

INDICATIONS: Early rheumatoid arthritis, rheumatoid spondylltis, osteoarthritis, Still's disease, psoriatic arthritis, bursitis, synovitis, tenosynovitis, myositis, fibrositis, and neuritis.

Supplied: TEMPOGEN® and TEMPOGEN® Forte—in bottles of 100 Multiple Compressed Tablets. (TEMPOGEN Forte provides 2 mg. of prednisolone.) TEMPOGEN and TEMPOGEN Forte are trademarks of Merck & Co., Inc.

*present as 60 mg. sodium ascorbate



MERCK SHARP & DOHME

DIVISION OF MERCK & CO., INC. PHILADELPHIA 1, PA.

relaxes both mind and musele

for the average patient in everyday practice

- well suited for prolonged therapy
 - well tolerated, nonaddictive, essentially nontoxic
- no blood dyscrasias, liver toxicity, Parkinson-like syndrome or nasal stuffness
 - chemically unrelated to chlorpromazine or reserpine
 - does not produce significant depression
 - orally effective within 30 minutes for a period of 6 hours
 Indications: anxiety and tension states, muscle spasm.




DISCOVERED AND INTRODUCED

BY WALLACE LABORATORIES, New Brunewick, N.J.

2-methyl-2-n-propyl-1,2-projected dicarbamate—U.S. Patent 2,724,726
SUPPLIED: 400 mg. sectral tubiets. Usual does: 1 or 2 tablets i.i.d.
Literature and Samples Appliable on Request

CM-3706-R2

PATRICIAN / a General Electric product in step with your progress



.. in a matter of seconds

—and those seconds are split in radiography with Patrician's stop-motion 200-ma, 100-kvp, full-wave power. Involuntary movements of patients or organs no longer need be your problem — nor the heavy investment formerly required for x-ray equipment capable of overcoming them.

At a price competitive with low-power, limited-range apparatus, you can now enjoy full x-ray facilities offered by the General Electric Patrician: kenotron-rectified output for longer x-ray tube life...81-inch angulating table for those tall patients...double-focus rotating-anode tube for radiography and

Progress Is Our Most Important Product

G	E	N	E	R	A	L	96	E	LE	C1	۲R	I	C
---	---	---	---	---	---	---	----	---	----	----	----	---	---

fluoroscopy . . . highly maneuverable independent tube stand . . . fully counterbalanced fluoroscopic screen . . . compact, simplified control unit.

Before investing in x-ray equipment, get the complete Patrician story, including G-E financing plans. Use this handy coupon.

Direct Factory Branches:

LOS ANGELES — 1225 N. Vermont Avenue SAN DIEGO — 521 Grape Street

SAN FRANCISCO — 1269 Howard Street





The warming relief provided by Numotizine in tonsillitis, bronchitis and related respiratory conditions is welcomed by the patient, helpful to convalescence.

An application of Numotizine causes vasodilation and produces analgesia to assist decongestion and relax the patient, thereby hastening recovery.

Numotizine is easy to apply, requires no heating, and relieves for eight or more hours without changing. It is compatible with the use of such specific medication as may be indicated.

NUMOTIZINE

CATAPLASM-PLUS

Supplied in 4, 8, 15 and 30-oz. jars.

HOBART LABORATORIES, INC. CHICAGO 10, ILLINOIS

FORMULA: Guaiacol 2.60, Beechwood Creosote 13.02, Methyl Salicylate 2.60, Sol, Formaldehyde 2.60, Polyols and Aluminum Silicate a.s. 1000 parts.



... for the patient with seborrheic dermatitis of the scalp


SELSUN®

Pleasant, simple-to-use Selsun brings quick, welcome relief to scalp-sufferers. The first few applications control itching, burning symptoms. And Selsun stops scaling in 81-87% of seborrheic dermatitis, 92-95% of all common dandruff cases.

Then each Selsun application keeps the scalp healthy up to four weeks. Directions accompany each 4-fluidounce plastic bottle of Selsun. Sold only on physician's prescription—

Abbott

®Selenium Sulfide, Abbott'




NUDGES YOUR PATIENT TO SLEEP

No abrupt onset with Placidyl: sleep comes gently, imperceptibly. Worries of the day vanish . . . the mind stops its busy spinning . . . and within the hour your patient is sleeping like a kitten. *Non*barbiturate.

100-mg., 200-mg., and 500-mg. capsules, bottles of 100

Do you woull the literature? Write to Professional Services, Abbott Luboratories, North Chicago, Illinois




For round-the-clock therapy With two doses a day

Lipo Gantrisin 'Roche'—a new, palatable liquid for antibacterial therapy—offers three significant features:

- 1. Only two doses a day needed in most cases
- **2.** Adequate twelve-hour blood levels after a single dose
- **3.** Same therapeutic advantages as Gantrisin 'Roche'

Lipo Gantrisin® Acetyl—brand of acetyl sulfisoxazole in vegetable oil emulsion

Each teaspoonful (5 cc) contains the equivalent of 1 gm of sulfisoxazole in the form of acetyl sulfisoxazole



NEW More Effective...

Medihaler-Phenth

Unvarying Measured-Dose Nasal Medication Reaching the Entire Paranasal Mucosa

VASOCONSTRICTIVE. Counteracts hyperemia of nasal and paranasal mucosa

DECONGESTIVE Diminishes edema and hypersecretion...opens sinus ostia

ANTI-INFLAMMATORY Neutralizes the exudative phase of tissue reaction

ANTIBIOTIC Attacks bacterial invasion directly

Medihaler-Phen ... an ethical prescription item ...-

Medihaler-Phen is self-powered, measureddose vaporized medication providing effective relief for congested nasal and para-

nasal mucosa.

Its active ingredients—phenylephrine HCl, hydrocortisone, and neomycin sulfate—are in wide clinical use. In Medihaler-Phen, for the first time, they are blended with an inert, nontoxic aerosol propellent, and are made more effective with a penetrating surfactant. An accurately-meas-

ured nebular cloud is gently ejected, regardless of how the Medihaler-Phen valve is compressed—not part spray, part stream as with spray bottles—not an irritating, powerful jet—no drops of liquid which tend to run out of the nasal passages.

Because of the extremely small, uniform particle size of Medihaler-Phen nebulization, less medication is required to decongest the mucosa and open the ostia of paranasal sinuses.


Longer Lasting Reliefin Nasal Congestion

RHINITIS
SINUSITIS
PHARYNGITIS

due to upper respiratory infections and allergies

tissue compatible greater effectiveness longer lasting no rebound vest pocket size





GALEN "B" — each fluid ounce contains not less than: Thiamine 4.5 mg.; Riboflavin 4.5 mg.; Niacin and niacinamide 60.0 mg.; Pyridoxine 4.5 mg.; Pantothenic acid 12.0 mg.; Inositol 225.0 mg.; Choline 300.0 mg.; Biotin 0.03 mg., plus all other factors of the B complex group natural to rice bran.

ELIXIR GALEN "B"® FORTIFIED—each fluid ounce contains not less than: Thiamine 10.0 mg.; Riboflavin 5.0 mg.; Niacin and niacinamide 60.0 mg.; Pyridoxine 4.5 mg.; Pantothenic acid 12.0 mg.; Inositol 112.0 mg.; Choline 150.0 mg.; Biotin 0.015 mg.; Iron (as iron and ammonium citrate) 32.0 mg.; Manganese (as manganese citrate) 16.0 mg., plus all other factors of the B complex group natural to rice bran.

GALEN® MULTIVITAMIN TABLETS—two tablets contain: Vitamin A 5000 U.S.P. units; Vitamin D 800 U.S.P. units; Ascorbic acid 100 mg.; Thiamine 5 mg.; Riboflavin 4 mg.; Niacinamide 30 mg.; Pyridoxine 1 mg.; Calcium pantothenate 5 mg.; Vitamin E 2 mg.; Iron 15 mg.; Manganese 6 mg.; Iodine 0.1 mg.; Copper 1 mg.; Calcium 200 mg.; Phosphorus 150 mg.

Rare-Galen Division of White Laboratories, Inc., Kenilworth, N. J.



Cool comfort for hot itching dermatoses

HYDROBALM

(HYDROCORTISONE-CALAMINE LOTION & CREAM)

There's no waiting for relief when you prescribe HYDROBALM for patients with inflammatory and pruritic dermatoses. In a matter of seconds HYDROBALM suppresses distressing symptoms, hides unsightly lesions, and sets the stage for healing. HYDROBALM—CreamorLotion—presents in two convenient, delicately scented, waterwashable flesh-tone greaseless vehicles, 4 therapeutically proved agents: 'Hydrocortone' (Hydrocortisone, U.S.P.)—0.5%—to suppress inflammation. Calamine—8%—to soothe and protect inflamed skin. Benzocaine—3%—to relieve itching and pain. Hexylated Metacresol—0.05%—for antisepsis.

Supplied: Topical Lotion HYDROBALM—in 15-cc. and 30-cc. handy, purse-size, plastic squeeze bottles. Topical Cream HYDROBALM—in 5-cm., 15-cm. and 30-cm. tubes.



MERCK SHARP & DOHME

DIVISION OF MERCK & CO., INC., PHILADELPHIA 1, PA.



Tour public relations problem has been our prime consideration in collection procedures during two generations of ethical service to the Medical Profession.

THE DOCTORS BUSINESS BUREAU

SINCE 1916

Four Offices for your convenience:

821 Market St., San Francisco 3 GArfield 1-0460

Latham Square Bldg., Oakland 12 GLencourt 1-8731 Spreckels Bldg., Los Angeles 14
TRinity 1252

Heartwell Bldg., Long Beach Telephone 35-6317 often succeeds
in stubborn
skin conditions
unresponsive to
other therapy

PANTHO-F CREAM

HYDROCORTISON	:	1%
PANTOTHENYLOL		2%
in a water missible	pleasant	ctainless

in a water-miscible, pleasant, stainless, vanishing cream base; virtually nonsensitizing

... provides the dramatic anti-inflammatory action of hydrocortisone alcohol ... plus the anti-pruritic and healing power of pantothenylol, the active ingredient of Panthoderm Cream.


new, decisive advance in topical hydrocortisone therapy

PANTHO-F CREAM

rapidly allays inflammation relieves pain, itch, swelling checks oozing and edema promotes smooth granulation accelerates healing in
eczemas (infantile, lichenified, etc.)
dermatitis (atopic, contact, eczematold)
neurodermatitis
pruritus ani et vulvae
lichen chronicus simplex

SAMPLES and literature on request.

U. S. Vitamin corporation(Arlington-Funk Laboratories, division)
250 East 43rd Street, New York 17, N.Y.



Meratran ... a unique central motivant with demonstrated subcortical activity ... subtly restores your emotionally tired and depressed patients to their usual levels of alertness, interest and productivity.1 In doses easily adjusted to the needs of your patients, its onset of action is subtle and prompt, yet sure **to** be comfortable. Effectiveness is prolonged. No jitters, no apprehension · no rebound letdown · little or no insomnia² · normal appetite undisturbed² · no appreciable effect on blood pressure, respiration² · wide range of safety³ · no tolerance mum patient requirements. / 1. Fabing, H.D.: Dis. Nerv.

or habituation.

MERATRAN Brand of Pipradrol Hydrochloride



Dose: (Initially) 2 mg. Meratran t.l.d. Reduce to minimum patient requirements./1. Fabing, H.D.: Dis. Nerv. Sys., 1:10-15, (January) 1955. 2. Antos, R. J.: Arizona Med., 11:397-9, (November) 1954. 3. Levy, S.: Northwest Med., 53:1233-6, (December) 1954. MERATRANG

THE WM. S. MERRELL COMPANY . NEW YORK, CINCINNATI, ST. THOMAS, ONTARIO

Gives fast relief of nasal congestion

Novahistine works better than antihistamines alone. The combined action of a vasoconstrictor with an antihistaminic drug provides marked nasal decongestion, inhibits excessive secretion...combats allergic reactions. Oral dosage avoids patient misuse of nose drops, sprays and inhalants...elannates rebound congestion. Novahistinawill not cause jitters or insomnia.


Each Novahistine Tablet or teaspoonful of Elixir provides 5.0 mg. of phenylephrine HCl and 12.5 mg. of prophenpyridamine maleate. Novahistine Fortis Capsules contain twice the amount of phenylephrine for those who need greater vasoconstriction. Novahistine with APC Capsules contain: phenylephrine 10 mg., prophenpyridamine 12.5 mg., acetylsalicylic acid 3½ gr., acetophenetidin 2½ gr., and caffeine ½ gr. Novahistine with Penicillin Capsules contain: phenylephrine 10 mg., prophenpyridamine 12.5 mg., and penicillin G potassium 200,000 units.



"unlock" the closed-up nose...

orally

Novahistine®





Physicians find that modern sulfas now lessen many therapeutic difficulties. Specific advantages of present triple sulfonamides include smaller dosage, lower incidence of sensitization, rarity of superinfections, reliable protection of the kidney, outstanding effectiveness against a great variety of organisms.

A first choice is the Triple Sulfa formulation combining equal parts of *sulfadiazine*, *sulfamerazine*, and *sulfamethazine*—offering the unsurpassed therapeutic activity of the most frequently prescribed sulfonamides. (U.S.P. XV Trisulfapyrimidines.)

American Cyanamid Company, Fine Chemicals Division, 30 Rockefeller Plaza, New York 20, New York.

TRIPLE SULFAS

Meth-Dia-Mer Sulfonamides


SULFADIAZINE SULFAMERAZINE

SULFAMETHAZINE



Now available...a new manual... "Vegetable Oils in Nutrition"

Timely, Comprehensive, Useful...with special reference to unsaturated fatty acids



TIMELY . . . a summary of the literature in this important field

COMPREHENSIVE . . . a review of authoritative experimental and clinical research pertaining to the special metabolic roles of polyunsaturated fats

USEFUL... in a form suitable for continual reference use. *Valuable to clinician, nutritionist, chemist*. Bibliography listing all pertinent publications

The role of dietary lipids in health and disease is universally assuming new importance. Evidence is accumulating that quality of the dietary fat may be more important than quantity.

This review provides a broad perspective on current authoritative and clinical opinions regarding the relative dietary characteristics of saturated and unsaturated fats . . . and the indispensable nutritional role of polyunsaturated fatty acids.

Corn Products Refining Company, the manufacturer of Mazola corn oil, will keep you informed of significant new developments in this rapidly expanding field.

Mazola is a vegetable oil (not hydrogenated) made from corn. It is unsaturated ... a prime source of essential linoleic acid.



ORDER YOUR COPY NOW...

Medical Department Corn Products Refining Co. 17 Battery Place, New York 4, New York

Please send me, postpaid, the new reference manual and monograph on "Vegetable Oils in Nutrition."

lame				
Address_				
Idui cas_	 			
City		S.	ate.	



Gantricillin is Gantrisin plus penicillin in a single tablet. For severe infections, Gantricillin-300; for mild infections, Gantricillin (100); for pediatric infections, Gantricillin (acetyl)-200 suspension.

Gantricillin® Gantrisin® - brand of sulfisoxazole



original research in medicine and chemistry

GANTRICILLIN-300. Each tablet provides 0.5 Gm Gantrisin (the single, highly soluble sulfonamide) plus 300,000 units of crystalline penicillin G potassium.


GANTRICILLIN (100). Each tablet provides 0.5 Gm Gantrisin plus 100,000 units of crystalline penicillin G potassium.

GANTRICILLIN (acetyl)-200. Each teaspoonful (5 cc) of the cherry-flavored suspension provides 0.5 Gm Gantrisin (acetyl) plus 200,000 units of crystalline penicillin G potassium.

FERROLIP

-new physiologic iron chelate for

maximum



hematologic

response - avoids interruption of

therapy



due to g.i. irritation

-guards against iron

poisoning from accidental overdosage

FERROLIP[®] Flint

(Iron Choline Citrate*)

chelated iron for effectiveness
plus "built-in" tolerance and safety



for the clinical and experimental proof, write for complete literature

TABLETS—3 tablets supply 120 mg. of iron and 360 mg. of choline base. Adults: 1 or 2 tablets t.i.d.: Children, 1 tablet t.i.d.

SYRUP—6 teaspoonfuls supply 120 mg. of iron and 360 mg. of choline base. Adults: 2 to 4 teaspoonfuls t.i.d.: Children, 2 teaspoonfuls t.i.d.

DROPS—Each cc. provides 16 mg. of iron and 48 mg. of choline base. M.D.R. for infants and children up to 6 years is 0.5 cc.

Supplied: Tablets: Bottles of 100 and 1000; Syrup: Pints and gallons; Drops: 30-cc. dropper bottles.



*U. S. Pat. 2,575,611

relieves the discomfort of colds

'TABLOID'

'EMPIRIN' COMPOUND° with CODEINE PHOSPHATE

shortens the "miserable" period by:

- Reducing fever
- Controlling cough
- Relieving headache
- Relieving muscular aches and pains

prompt symptomatic relief of colds with minimum addiction liability

Available in four strengths





Life without Frenzy

McNEIL


Laboratories, Inc. Philadelphia 32, Pa. He used to fuss and fume when traffic slowed him down. Now he relaxes—his pace of living has been "calmed down"—since his doctor prescribed

Butiserpine®

That's the tranquilizing-sedative-hypotensive effect BUTISERPINE has on tense, highstrung patients. Its *Butisol* component quickly induces a more reasonable, tranquil attitude. This gives the *reserpine* component a chance to build up to its maintenance tranquilizing effect.

Now you can prescribe Butiserpine also in its delightful Elixir form. Each tablet or teaspoonful of elixir contains:





STOPS the silent agony of PRURITUS ANI in 98% of cases*

Breaking the itch-scratch-itch cycle is essential to control of pruritus ani. Topically applied Hydrolamins Amino Acid Ointment relieves itch with anesthetic speed—but without danger of tissue reaction.

In a series of 100 unselected sufferers from pruritus ani, the author* reported "Relief... experienced immediately in 98 cases."

Moreover, in 88% of cases, "Within a few weeks' time there is every appearance of normal skin."

HYDROLAMINS®

AMINO ACID OINTMENT

Hydrolamins offers an isotonic, specially selected combination of amino acids derived from lactalbumin in a vehicle of polyethylene glycol 1500. Hydrolamins buffers against local (bowel) irritants. It does *not* contain local anesthetics ("caines") or astringents.

SUPPLIED in 1 oz. (28 Gm.) tubes.



CHICAGO 14, ILLINOIS

*Bodkin, L.G., and Ferguson, E.A., Jr.: Successful Ointment Therapy for Pruritus Ani, Am. J. Digest. Dis. 18:59 (Feb.) 1951.



Liquid **Pediatric Drops**

aqueous suspension

stabilized, soluble, no oil to block absorption, no oily taste or repeat, remarkably free of side effects

ready-to-use, no refrigeration

freely miscible in water, milk, formula, or drop directly on tongue

handy, plastic dropper bottle

accurate dosage is easy, one drop per pound body weight per day


Supplied: 10 cc. plastic dropper-type bottle (cherryflavor), 100 mg./cc. (approx. 5 mg. per

ACHROMYCIN* Tetracycline ranks among the foremost in its field today . . . judged on its exceptional effectiveness against a wide range of pathogens, prompt control of infections commonly seen in medical practice, low incidence of side reactions. These outstanding features have been repeatedly confirmed by physicians everywhere during more than three years of clinical usage.

LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY, PEARL RIVER, NEW YORK Lederle *Reg. U. S. Pat. Off.



ACHROMYCIN...ACKNOWLEDGED FOR COMPETENCE



YOUR PATIENT NEEDS AN ORGANOMERCURIAL

Practicing physicians know that many years of clinical and laboratory experience with any medication are the only real test of its efficacy and safety.

Among available, effective diuretics, the organomercurials have behind them over three decades of successful clinical use. Their clinical background and thousands of reports in the literature testify to the value of the organomercurial diuretics.



BRAND OF CHLORMERODRIN (18.3 MG. OF 3-CHLOROMERCURI-2-METHOXY-PROPYLUREA EQUIVALENT TO 10 MG. OF NON-IONIC MERCURY IN EACH TABLET)




a standard for initial control of severe failure

MERCUHYDRIN® SODIUM

BRAND OF MERALLURIDE INJECTION

02156



Prompt diarrhea control for active workers



SULFASUXIDINE $^{\oplus}$. NEOMYCIN SUSPENSION WITH KAOLIN AND PECTIN

In diarrhea, the patient's critical worry is frequency and urgency—and how long until medication provides control. Palatable CREMOMYCIN brings quick relief of bacillary and nonspecific diarrheas, without constipating rebound. The antibacterial action of neomycin and Sulfasuxidine is concentrated in the gut. Kaolin and pectin soothe the inflamed mucosa, adsorb toxins, help normalize intestinal motility. Even your nauseated patients will find CREMOMYCIN acceptable.



MERCK SHARP & DOHME

DIVISION OF MERCK & CO., INC., PHILADELPHIA 1, PA.

Each fl. oz. (30 cc.) of CREMOMYCIN contains 3.0 gm. Sulfasuxidine®, 300 mg. neomycin sulfate, 0.4 gm. pectin and 3.0 gm. kaolin.



sustained

comfort

to your

anorectal

patients

DESITIN

than

hemorrhoidal **SUPPOSITORIES**

with cod liver oil

protects •

soothes •

lubricates •

eases pain •

relieves itching •

decongests •

DESITIN SUPPOSITORIES afford rapid relief in hemorrhoids (non-surgical). Norwegian cod liver oil (rich in vitamins A and D and unsaturated fatty acids) helps promote healing. They do not contain styptics, local anesthetics, or narcotics and therefore

sthetics, or narcotics and therefore do not mask serious rectal disease.

samples are available from

DESITIN CHEMICAL COMPANY

Providence, R. I.

In boxes of 12.

Cod liver oil, zinc oxide, bismuth subgallate, balsam Peru and cocoa butter.

seldom seen singly





VITAMIN B COMPLEX LEDERLE

Nutritionists agree that vitamin B deficiencies rarely occur singly. Proportionate loss among B complex factors is the common occurrence. Despite similarity of published formulas, B complex multivitamin preparations are not equal in potency.

By specifying LEDERPLEX for a patient in need of B complex therapy, you recommend a preparation conforming to highest professional standards.

The entire vitamin B complex (folic acid and B₁₂ included) is offered in highly potent form. The palatable orange flavor of LEDERPLEX is taste-true, does not "wear thin" or go "flat" on prolonged dosage.

Each teaspoonful (5 cc.) of LEDERPLEX Liquid Contains:

Also available in tablet, capsule and parenteral forms.

	•	-	
Thiamine HCl (B ₁)	2 mg.	Pantothenic Acid	2 mg.
Riboflavin (B ₂)	2 mg.	Choline	20 mg.
Niacinamide	10 mg.	Inositol	10 mg.
Folic Acid	0.2 mg.	Soluble Liver Fraction	470 mg.
Pyridoxine HCl (B_6)	0.2 mg.	Vitamin B ₁₂	5 mcgm.

LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY, PEARL RIVER, NEW YORK PREG. U.S. PAT. OFF.





when infection strikes the respiratory tract . . .

ILOTYCIN

provides singularly effective antibiotic therapy, because

• Virtually all gram-positive organisms are inherently sensitive

The usual adult dose is 250 mg. every six hours.

• Allergic reactions following oral therapy are rare

Available in specially coated tablets, pediatric suspension, drops, ointments, and I.V. ampoules.

- \bullet Bacteric idal action kills susceptible organisms
- Normal intestinal flora is not appreciably disturbed

32024

ELI LILLY AND COMPANY . INDIANAPOLIS 6, INDIANA, U.S.A.

POSTGRADUATE INSTITUTE

WEST COAST COUNTIES

Presented by Postgraduate Activities Committee of the California Medical Association, in cooperation with University of Southern California School of Medicine, Los Angeles, Phil R. Manning, M.D., Director of Postgraduate Division.

Golden Bough Theater and La Playa Hotel
CARMEL ... MARCH 7 and 8, 1957

PROGRAM.

Thursday Morning, March 7

INTERNAL MEDICINE

9:00-10:45—Lectures, Golden Bough Theater—

The Differential Diagnosis of Jaundice. Thomas H.

Brem, M.D.

Electrolyte Problems. Telfer B. Reynolds, M.D. Treatment of Diabetes. Helen E. Martin, M.D. Nephrosis and Nephritis. Ralph E. Homann, Jr., M.D.

11:00-12:00—Three Concurrent Panel Discussions—La Playa
Hotel (Three faculty members each; you may go
to one of your choice.

Acute Pancreatitis.

Recent Advances in Treatment in Internal Medicine. Cardiac Patient in Pregnancy.

12:15-1:45-Lunch.

The Role of the California Medical Association in Postgraduate Medical Education. Edward C. Rosenow, Jr., M.D.

Thursday Afternoon, March 7

OBSTETRICS AND GYNECOLOGY

2:00-3:40—Lectures, Golden Bough Theater— Office Gynecology. George A. Macer, M.D. Pelvic Pain. Charles F. Langmade, M.D. Dystocia. Bernard J. Hanley, M.D. Obstetrical Anesthesia. Judson S. Denson, M.D.

4:00-5:00—Three Concurrent Panel Discussions, La Playa Hotel. (Three faculty members each; you may go to one of your choice.)

Low Back Pain.

Acute Abdomen in Pregnancy. The Diabetic in Pregnancy.

8:00—Joint Dinner Meeting with Monterey County Medical Society at La Playa Hotel. Wives are invited to attend.

Cardiology of Yesterday, Today and Tomorrow. George C. Griffith, M.D.

Friday Morning, March 8

SURGERY

9:00-10:45—Lectures, Golden Bough Theater—

Vascular Surgery. Herbert J. Movius, II, M.D.

Diagnosis of Acute Abdomen. E. M. Greaney, M.D.

Treatment of Burns. Irving A. Meeker, Jr., M.D.

Management of Upper G.I. Bleeding. E. M. Greaney, M.D.

11:00-12:00—Three Concurrent Panel Discussions, La Playa Hotel. (Three faculty members each; you may go to one of your choice.)

Diagnosis of the Acute Abdomen in Childhood.

Electrolyte Problems in Surgical Patients.

Immediate Management of Traumatic Conditions.

12:15-1:45-Lunch,

Goals in Postgraduate Medical Education. Phil R. Manning, M.D.

Friday Afternoon, March 8

2:00-3:45—Lectures, Golden Bough Theater—
Orthopedic Problems in General Practice. Lorin L.
Stephens, M.D.

Newborn Emergencies. Merl J. Carson, M.D. Anesthesia in Pediatrics. Judson S. Denson, M.D.

4:00-5:00—Three Concurrent Panel Discussions, La Playa

Management of Bacterial Infections.

Metabolic Bone Diseases.

Treatment of Anemias.

Each panel discussion will be led by three faculty members and one physician from the community. You may go to one of your choice.

HOSTS: Monterey County Medical Society . . . REGIONAL CHAIRMAN: Edwin W. Tucker, M.D., 1073 Cass Street, Monterey . . . FEE: \$15.00. For additional information, contact Postgraduate Activities office, California Medical Association, 417 South Hill Street, Los Angeles 13. Special room rate at La Playa Hotel: \$8.00, single; \$10.00, double. Make hotel reservations early directly with hotel.

All California Medical Association Members are cordially invited to attend. Special activities are planned for wives during entire two days by Woman's Auxiliary, Monterey County Medical Society.

POSTGRADUATE EDUCATION NOTICES

THIS BULLETIN of the dates of postgraduate education programs and the meetings of various medical organizations in California is supplied by the Committee on Postgraduate Activities of the California Medical Association. In order that they may be listed here, please send communications relating to your future medical or surgical programs to: Mrs. Margaret H. Griffith, Director, Postgraduate Activities, California Medical Association, 417 South Hill Street, Los Angeles 13.

UNIVERSITY OF CALIFORNIA AT LOS ANGELES

- Fractures, Tuesdays, February 19 through March 26, 1957. Twelve hours. Fee: \$30.00.
- Sterility. Guest speakers: I. C. Rubin, M.D., New York, and M. B. Davis, M.D., Chicago. March 8 and 9. Thirteen hours lectures, three hours clinic.
- The Pharmacological Basis of Therapeutics. Wednesdays, March 13 through May 8. Eighteen hours. Fee: \$50.00.
- Preventive Psychiatry in Pediatric Practice. Thursdays, March 21 through June 6. Twenty-four hours. Fee: \$50.00.
- Diagnosis and Management of Benign and Malignant Lesions of the Head and Neck. Wednesday, March 27. Six and one-half hours, Fee: \$17.50.
- Abdominal Pain. Wednesday, April 3. Six hours. Fee: \$17.50.
- Minor Surgery. Saturday, April 6. Six hours. Fee \$17.50.
- Inhalation Therapy. Wednesday, April 24. Six hours. Fee: \$17.50.
- Dissection of Extremities. Mondays, April 29 through June 10. Seventeen hours.*
- Contact: Thomas H. Sternberg, M.D., Assistant Dean for Postgraduate Medical Education, U.C.L.A., Los Angeles 24. BRadshaw 2-8911, Ext. 202.

UNIVERSITY OF CALIFORNIA, SAN FRANCISCO

- Seminars in Medical Technology. Tuesday evenings, February 19 through April 2. Fee: \$15.00.
- Practical Management of Poliomyelitis. February 27, 28, and March 1.*
- Ophthalmological Conference on Glaucoma. February 28 and March 1. Fee: \$50.00.
- Symposium on Cerebral Palsy. Seven hours. March 2. Fee: \$5.00.
- Course for General Practitioners. Monday through Friday, March 4 to 8, Mount Zion Hospital. Thirty hours. Fee: \$70.00.
- Current Cardiac Concepts and Practice. Mornings, April 1 to 5. Fifteen hours. Fee: \$45.00.
- Electrocardiography in Daily Practice. Afternoons, April 1 to 5. Twenty hours. Fee: \$45.00.
- Clinical Advances in Diagnosis and Treatment of Metabolic and Endocrine Diseases. March 28 to 30. Fee: \$50.00.
- * Fees to be announced.

- Fundamental Principles of Radioactivity and the Diagnostic and Therapeutic Uses of Radioisotopes.

 Two or three month course limited to one enrollee per month. Tuition: \$250.00 per month.
- Contact: Seymour M. Farber, M.D., Head, Postgraduate Instruction, Office of Medical Extension, University of California Medical Center, San Francisco 22. MOntrose 4-3600, Ext. 665.

STANFORD UNIVERSITY SCHOOL OF MEDICINE

- Morning Clinical Conferences, each Monday, Room 515. Contact: D. H. Pischel, M.D., Professor, Division of Ophthalmology, Stanford University School of Medicine, 2398 Sacramento St., San Francisco 15.
- Postgraduate Conference in Ophthalmology. March 18 to 22.
- Contact: Lowell Rantz, M.D., Director, Postgraduate Programs, Stanford University School of Medicine, 2398
 Sacramento St., San Francisco 15. WEst 1-8000, Extension 207.

UNIVERSITY OF SOUTHERN CALIFORNIA, LOS ANGELES

- Home Course in Electrocardiography. Physicians may register at any time and receive all 52 issues. Fifty-two weeks. Fee: \$100.00.
- Cardiac Resuscitation. Sponsored by the Los Angeles County Heart Association each Wednesday throughout the year, 4 to 6 p.m. Residents admitted without fee. Tuition for all other physicians: \$30.00. (Each session all-inclusive.)
- Conferences and Live Clinics in Diseases of the Liver and Biliary Tract. All day, each day, Friday, Saturday and Sunday, March 22, 23, and 24, 1957. Hotel Statler and Los Angeles County Hospital. Fee: \$65.00.
- Contact: Phil R. Manning, M.D., Director, Postgraduate Division, University of Southern California School of Medicine, 2025 Zonal Avenue, Los Angeles 33. CApital 5.1511

COLLEGE OF MEDICAL EVANGELISTS

- Operative Surgery. Wednesdays, March 20 through June 5, 1957. Thirty hours.
- Gynecology. Wednesdays, March 27 through May 29, 1957. Ten hours.
- Thoracic Surgery. Wednesdays, April 24 through May 15, 1957. Eight hours.
- Contact: Chairman, Section on Graduate and Postgraduate Medicine, College of Medical Evangelists, 1720 Brooklyn Ave., Los Angeles 33. ANgelus 9-9131, Ext. 205.

CALIFORNIA MEDICAL ASSOCIATION POSTGRADUATE COURSES

- AUDIO DICEST FOUNDATION, a nonprofit subsidiary of the C.M.A., now offers (on a subscription basis) a series of hour-long tape recordings designed to keep the physician abreast of current happenings in his particular field. Composed of practice-useful abstracts from 600 leading journals, with short lectures and editorial comments from prominent physicians, Audio Digest offers programs covering general practice, surgery, internal medicine, obstetrics and gynecology, and pediatrics.
- Contact: Claron L. Oakley, editor, 6767 Sunset Blvd., Hollywood 28, Calif.

- SACRAMENTO VALLEY CIRCUIT COURSES for Dunsmuir, Chico, Marysville and Auburn, in cooperation with Stanford University School of Medicine. Spring series begins week of March 4.
- NORTH COAST CIRCUIT COURSES for Eureka, Ukiah and Napa, in cooperation with University of California, San Francisco. Spring series begins week of March 4.
- WEST COAST CIRCUIT in cooperation with University of Southern California School of Medicine:
 - San Luis Obispo-Mondays, February 18, 25, March 4, 11, 1957.
 - Santa Maria—Tuesdays, February 19, 26, March 5, 12, 1957.
 - Santa Barbara—Wednesdays, February 20, 27, March 6, 13, 1957.

POSTGRADUATE INSTITUTES, 1957

- West Coast Counties in cooperation with University of Southern California, March 7 to 8, 1957, Golden Bough Theater and La Playa Hotel, Carmel. Chairman: Edwin W. Tucker, M.D., 1073 Cass Street, Monterey.
- San Joaquin Counties in cooperation with University of California, San Francisco, March 21 to 22, Hotel Californian, Fresno. Chairman: Richard H. Whitten, M.D., 2912 Fresno Street, Fresno.
- NORTH COAST COUNTIES in cooperation with Stanford University, April 11 to 12, 1957, Santa Rosa, place to be announced. Chairman: Robert S. Quinn, M.D., 185 Sotoyome Avenue, Santa Rosa.
- SACRAMENTO VALLEY COUNTIES in cooperation with College of Medical Evangelists, June 19 to 21, 1957, Tahoe Tavern, Lake Tahoe. Chairman: C. M. Blumenfeld, M.D., 4700 Parkridge Road, Sacramento.
- Contact: One of the chairmen listed above, or Mrs. Margaret H. Griffith, Director, Postgraduate Activities, California Medical Association, 417 So. Hill Street, Los Angeles 13. Madison 6-0683.

Medical Dates Bulletin

FEBRUARY MEETINGS

- COLORADO STATE MEDICAL SOCIETY Mid-Winter Clinical Session, Shirley-Savoy Hotel, Denver, February 19 to 22. Contact: Harvey T. Sethman, executive secretary, 835 Republic Building, Denver 2, Colorado.
- Ninth Annual Mid-Winter Radiological Conference sponsored by Los Angeles Radiological Society. Biltmore Hotel, Los Angeles, February 22 and 23. Contact: Louis J. Bonann, M.D., 1245 Glendon Avenue, Los Angeles 24 for dinner reservations; or Nathan M. Spishakoff, M.D., 405 North Bedford Drive, Beverly Hills.
- STATE BOARD OF MEDICAL EXAMINERS Oral Examination, Los Angeles, February 23.*
- STATE BOARD OF MEDICAL EXAMINERS Written Examination, Los Angeles, February 25 to 28.

AMERICAN COLLEGE OF CHEST PHYSICIANS Postgraduate Course on Diseases of the Chest. February 25 through March 1, 9 a.m.-5 p.m., Mark Hopkins Hotel, San Francisco. *Contact*: Mr. Murray Kornfeld, executive director, 112 East Chestnut Street, Chicago 11.

MARCH MEETINGS

- MEDICAL ADVISORY BOARD, UNITED CEREBRAL PALSY ASSOCIATION all day Symposium on Cerebral Palsy, San Francisco, March 2. Guest speaker: Dr. Samuel P. Hicks, Pathologist, Harvard Medical School. Contact: Mrs. Marjorie E. Brush, executive director, 47 Kearny St., San Francisco 8 or phone EXbrook 2-1862.
- SOCIETY OF GRADUATE SURGEONS OF LOS ANGELES COUNTY HOSPITAL Surgical Forum, March 4 to 8, Ambassador Hotel, Los Angeles. *Contact:* Wm. F. Roe, M.D., 14431 Hamlin St., Van Nuys, Calif.
- College of Medical Evangelists School of Medicine Annual Alumni Postgraduate Convention. Refresher courses, White Memorial Hospital, March 10 and 11; Scientific Assembly, Biltmore Hotel, March 12 to 14, both in Los Angeles. Contact: Walter B. Crawford, managing director, Alumni Postgraduate Convention, 316 N. Bailey St., Los Angeles 33, or telephone: Angelus 2-2173.
- CHILDREN'S HOSPITAL, San Francisco postgraduate course on The Newborn, Nurses Auditorium, 3801 Sacramento Street, March 23. *Contact:* Medical Extension, University of California Medical Center, 2nd and Parnassus, San Francisco 22.
- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for Tulare County Medical Society, March 28.\$
- CALIFORNIA TUBERCULOSIS AND HEALTH ASSOCIATION and the CALIFORNIA TRUDEAU SOCIETY Joint Annual Meeting, Hotel Statler, Los Angeles, March 28 to 30, 9 a.m to 5 p.m. Contact: E. L. Daggett, Director, Public Information, 130 Hayes St., San Francisco 2, or telephone HEmlock 1-8771.
- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for Los Angeles County Medical Association, March 31.§

APRIL MEETINGS

- LETTERMAN ARMY HOSPITAL "Surgery in Acute Trauma," 8 a.m. to 4:30 p.m., April 1 to 3.‡
- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for Marin County Medical Society, April 4.8
- International College of Surgeons, Regional Meeting, Las Vegas, Nevada, April 8 and 9. Contact: Ross V. Parks, M.D., 1930 Wilshire Blvd., Los Angeles 57.
- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for Ventura County Medical Society, April 9.8
- California Society of Anesthesiologists, Inc., Annual Meeting, Sun Valley, Idaho, April 9th. *Contact:* Francis E. Guinney, M.D., secretary, 2790 Monte Mar Terrace, Los Angeles 64.

^{*}NOTE: In regard to the dates of oral examinations, applicants are requested NOT to arrange to come to an oral examination until they receive a notice of the action of the Credentials Committee advising them of the time and place to appear.

[†] Contact: Major Max E. Knickerbocker, MSC, Chief of Education and Training Branch, Letterman Army Hospital, San Francisco.

§ Contact: Walter E. Batchelder, M.D., Medical Director, Cancer Commission, Suite 816, 450 Sutter St., San Francisco.

- UNITED STATES-MEXICO BORDER PUBLIC HEALTH ASSOCIATION Fifteenth Annual Meeting, April 9 to 12, San Antonio, Texas. Contact: Donald G. Davy, M.D., State Department of Public Health, 2151 Berkeley Way, Berkeley.
- VALLEY CHILDREN'S HOSPITAL Spring Clinics, Roosevelt High Auditorium, Fresno, April 12-13. Contact: Valley Children's Hospital, Millbrook and Shields Avenue, Fresno.
- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for Kern County Medical Society, April 16.8
- San Francisco Heart Association Nurses Institute on the Care of the Cardiac Patient, April 17 and 18, 8:30 a.m. to 5 p.m., San Francisco. Contact: Mr. Lawrence Kramer, Executive Director, San Francisco Heart Association, 604 Mission Street, San Francisco, or telephone: YUkon 2-5753.
- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for San Luis Obispo County Medical Society, April 20.8
- LETTERMAN ARMY HOSPITAL "Oral Surgery," 8 a.m. to 4:30 p.m., April 22 to 26.
- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for Merced County Medical Society, April 25.\$
- California Medical Association Annual Meeting, Ambassador Hotel, Los Angeles, April 28 to May 1. Contact: John Hunton, executive secretary, 450 Sutter St., San Francisco 8, or Ed Clancy, director of Public Relations, 417 S. Hill St., Los Angeles 13.

SUMMER AND FALL MEETINGS, 1957

- CANCER COMMISSION, CALIFORNIA MEDICAL ASSOCIATION, Cancer Conference for Napa County Medical Society, May 8.8
- California Heart Association Annual Meeting Lafayette Hotel, San Diego, May 17, 18, and 19. Contact:
 J. Keith Thwaites, executive director, California Heart Association, 1428 Bush Street, San Francisco.
- WESTERN BRANCH, AMERICAN PUBLIC HEALTH ASSOCIATION annual meeting, Lafayette Hotel, Long Beach, May 29 and June 2. Contact: Mrs. L. Amy Darter, Secretary-Treasurer, State Dept. Public Health, 2151 Berkeley Way, Berkeley.

- CHILDREN'S HOSPITAL OF THE EAST BAY Pediatric Seminar and Clifford Sweet Lectures, June 7 to 8. Guest lecturer: Sydney S. Gellis, M.D., Boston. *Contact:* James Dennis, M.D., medical director, 5105 Dover St., Oakland 9.
- STATE BOARD OF MEDICAL EXAMINERS Oral Examination, San Francisco, June 15.*
- IDAHO STATE MEDICAL ASSOCIATION 65th Annual Meeting, Sun Valley, June 16 to 19. *Contact:* Mr. Armand L. Bird, executive secretary, 364 Sonna Bldg., Boise, Idaho.
- STATE BOARD OF MEDICAL EXAMINERS Written Examination, San Francisco, June 17 to 20.
- WYOMING STATE MEDICAL SOCIETY ROCKY MOUNTAIN MEDICAL CONFERENCE Annual Joint Meeting, Jackson Lake Lodge, Moran, Wyoming, June 16 to 19. Contact: H. L. Harvey, M.D., Casper, Wyoming.
- COLORADO DIVISION, CANCER SOCIETY ROCKY MOUNTAIN Cancer Conference, 9 a.m., July 10 and 11, Shirley-Savoy Hotel, Denver. *Contact:* John S. Bouslog, M.D., Chairman, 835 Republic Bldg., Denver 2.
- STATE BOARD OF MEDICAL EXAMINERS Oral Examination, Los Angeles, August 17.*
- STATE BOARD OF MEDICAL EXAMINERS Written Examination, Los Angeles, August 19 to 22.
- WASHINGTON STATE MEDICAL ASSOCIATION Annual Meeting, Olympic Hotel, Seattle, Washington, September 15 to 18. Contact: Mr. Ralph W. Neill, executive secretary, 1309 Seventh Ave., Seattle, Washington.
- NEVADA STATE MEDICAL ASSOCIATION Annual Meeting, Las Vegas, September 25 to 28. Contact: Nelson B. Neff, executive secretary, P. O. Box 188, Reno.
- SAN FRANCISCO HEART ASSOCIATION 28th Annual Postgraduate Symposium on Heart Disease, October 2 to 4, St. Francis Hotel, San Francisco. *Contact:* Lawrence I. Kramer, Jr., executive director, 604 Mission St., San Francisco
- FIRST WESTERN INDUSTRIAL HEALTH CONFERENCE, Biltmore Hotel, Los Angeles. October 4 to 6. Contact: E. J. Zaik, M.D., secretary, Western Industrial Medical Association, 740 South Olive Street, Los Angeles 14.
- California Society of Internal Medicine Annual Meeting, October 25 to 27, El Mirador, Palm Springs. Contact: Mrs. Mildred B. Coleman, assistant secretary, 350 Post St., San Francisco 8.

"... there is a somewhat larger group in which definite localization [of the cause of vertigo] may not be possible. ... Cardiovascular disease may also cause this type of dizziness. ... The treatment consists of bed rest, sedation and the use of Dramamine"

Lindsay, J. R.: The Practical Management of Dizziness, California Med. 83:193 (Sept.) 1955.



for dramatic results

Dramamine®

Brand of Dimenhydrinate

SEARLE



MYSTECLIN SUSPENSION

Steclin-Mycostatin

(Squibb Tetracycline-Nystatin)

Another form of the only broad spectrum antibiotic preparation with added protection against monilial superinfection

PLEASANT TASTING — Mysteclin Suspension is pleasantly fruit-flavored and will appeal to taste-conscious youngsters as well as to adults who prefer liquid medication.

BROADLY EFFECTIVE — Mysteclin Suspension provides well tolerated therapy for the many common infections which respond to tetracycline—and also acts to prevent monilial overgrowth.

READY-TO-TAKE — Mysteclin Suspension requires no reconstitution and can be given by simple teaspoon dosage to patients of all ages.

MYSTECLIN SUSPENSION: a fruit-flavored oil suspension containing the equivalent of 125 mg. Steclin (Squibb Tetracycline) Hydrochloride and 125,000 units Mycostatin (Squibb Nystatin) per 5 cc. teaspoonful. Supplied in two-ounce bottles.

Also available as Capsules (250 mg. Steclin Hydrochloride and 250,000 units Mycostatin) and Half Strength Capsules (125 mg. Steclin Hydrochloride and 125,000 units Mycostatin).





Squibb Quality — the Priceless Ingredient

"MYSTECLIN" , "STECLIN", AND "MYCOSTATIN" ARE SQUIBB TRADEMARKS

NOW! from Boyle



a new member of the accepted CITRA family

CITRA CITRA FOR SYRUP

immediate cough control

Now CITRA FORTÉ, with 5 mg. of Dihydrocodeinone Bitartrate per teaspoonful (5 cc.) stops the cough effectively and helps patients feel better within minutes.

In addition to controlling the cough, CITRA FORTE, with its multiple antihistamines combats the allergic symptoms of the cold. The citrus bioflavonoid, Hesperidin, with vitamin C promotes normal function of the capillaries, thus resisting further spread of the infection. Increased expectoration with sodiumfree Potassium Citrate. Citrus flavor of CITRA FORTE is pleasing to young and old alike.

Each teaspoonful (5 cc.) of CITRA FORTE Syrup contains:

5.0	_
8.33	mg.
30.0	mg.
2.5	mg.
3.33	mg.
150.0	mg.
	8.33 30.0 2.5 3.33

CITRA FORTE available on oral prescription. CITRA FORTE syrup, as well as CITRA CAPSULES and regular CITRA SYRUP, available at all prescription pharmacies.

Literature on request.



WHY SENSITIZE

in topical and ophthalmic infections

USE POLYSPORIN!

POLYMYXIN B-BACITRACIN OINTMENT

to insure broad-opectrum therapy with minimum allergenicity

For topical use: in ½ oz. and 1 oz. tubes.

For ophthalmic use: in % oz. tubes.


BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe, N. Y.

The answer...

DOXINATE®

THE ORIGINAL FECAL SOFTENER

IN CONSTIPATION



to effective fecal softening



ONE CAPSULE DAILY

provides

MAXIMUM EFFECTIVENESS with

PATIENT CONVENIENCE and ECONOMY

In The Interest of Medicine Since 1870

Lloyd | BROTHERS INC., CINCINNATI, OHIO



a true cough <u>specific</u> non-narcotic

ROMILAR 'Roche'


For suppressing cough, whatever the cause, Romilar is at least as effective as codeine. Yet it has no general sedative or respiratory-depressant activity, and it's remarkably free of side effects such as nausea, constipation, or tendency to habit formation.

Available as a syrup, in tablets, or expectorant mixture (with ammonium chloride).



ROCHE Original Research in Medicine and Chemistry

Romilar® hydrobromide — brand of dextromethorphan hydrobromide Tablets, 15 mg; syrup, 15 mg per teasp.; expectorant, 15 mg Romilar and 90 mg ammonium chloride per teasp.



Newest Pablum Cereal is 35% Protein

Pablum High Protein Cereal is derived from soy beans, oats, wheat and dried yeast. This new cereal food contains a level of active assimilable protein, 35%, much higher than that commonly present in cereal grains. It helps to keep baby trim. It satisfies baby's hunger over longer periods of time than even foods rich in carbohydrate.

Like all Pablum Cereals, Pablum High Protein Cereal is made by nutritional and pharmaceutical specialists.





Pablum Products DIVISION OF MEAD JOHNSON & CO., EVANSVILLE, IND. • Manufacturers of Nutritional and Pharmaceutical Products

CALIFORNIA MEDICINE 76

buoy up your patients nutritionally

in pregnancy
lactation
convalescence
deficiency states
dietary restrictions
digestive dysfunction

with

Saturation Dosage

of water-soluble vitamins B and C

ALLBEE



Each capsule contains

Thiamine
Mononitrate (B₁) 15 mg.
Riboflavin (B₂) 10 mg.
Nicotinamide 50 mg.
Calcium Pantothenate 10 mg.
Pyridoxine
Hydrochloride (B₈) 5 mg.

Ascorbic Acid
(vitamin C) 250 mg.

Robins

A. H. Robins Co., Inc., Richmond 20, Va.

rock-bottom economy for peak-high vitamin values for your patients



Overeating is a bad habit—
you can help your patients

to break it

with Dexedrine*

dextro-amphetamine sulfate, S.K.F.

Available as tablets, elixir, and Spansulet sustained release capsules.




*T.M. Reg. U.S. Pat. Off. for dextro-amphetamine sulfate, S.K.F. †T.M. Reg. U.S. Pat. Off.

ANXIETY

is part of

GASTROINTESTINAL DISORDERS



In every patient . . . a valuable adjunct to the customary therapy

Supplied: Tablets. 400 mg., bottles of 50. Usual Dose: 1 tablet, t.i.d.



Wyeth


®
Philadelphia 1, Pa.

*Trademark

anti-anxiety factor with muscle-relaxing action



-methyl-2-n-proppi-1,3-propenedial dicarbemate) Licensed under U.S. Patent No. 2,724,720



in bronchial asthma

Sterane Sterand of prednisolone

whenever corticosteroids are indicated


provides restoration of breathing capacity — Relief of symptoms [bronchospasm, cough, wheezing, dyspnea] is maintained for long periods with relatively small doses.*

minimal effect on electrolyte balance — "in therapeutically effective doses... there is usually no sodium or fluid retention or potassium loss."* Lack of edema and undesirable weight gain permits more effective therapy particularly for those with cardiac complications.

PFIZER LABORATORIES, Brooklyn 6, New York Division, Chas. Pfizer & Co., Inc.

Supplied: White, 5 mg. oral ablets, bottles of 20 and 100. Pink, 1 mg. oral tablets, bottles of 100. Both are deep-scored.

*Schwartz, E.: New York J. Med. 56:570, 1956.



for predictable control of appetite and mood free of exaggerated response¹

Synatan®

tanphetamin protocolloid complex, Irwin-Neisler

Each Synatan tabule is composed of a protocolloid complex containing tanphetamin (dextro-amphetamine tannate) 17.5 mg., equivalent to 5.25 mg. of d-amphetamine base.

To serve your patients today—call your pharmacist for any additional information you may need to help you prescribe Synatan and Seco-Synatan. He has been especially alerted.

1. Less than 4% of 699 patients exhibited over-stimulation of central nervous system. (Garrett, T. A.: Clin. Med. 3:1185, 1956).

and for predictable control of the DIS/ease of anxiety, depression or obesity

Seco-Synatan™

Each tabule contains:

Tanphetamin* (d-amphetamine tannate) 17.5 mg. Secobarbital 35.0 mg.

*Patents pending

IRWIN, NEISLER & CO. . DECATUR, ILLINOIS



CLASSIFIED ADVERTISEMENTS

Rates for these insertions are \$5 for fifty words or less; additional words 6 cents each

Copy for classified advertisements should be received not later than the tenth of the month preceding Issue. • Classified advertisers using Box Numbers forbid the disclosure of their identity. Your inquiries in writing will be forwarded to Box Number advertisers.

CLASSIFIED ADVERTISEMENTS ARE PAYABLE IN ADVANCE

PHYSICIANS WANTED

OTOLARYNGOLOGIST association with outstanding ENT man, San Francisco Bay Area: INDUSTRIAL Overseas Medical Director, doing General Practice, starting salary \$1,300 plus; OBSTETRICIAN-GYNE-COLOGIST association with well established group central California; ORTHOPEDISTS, several for group associations; Assistant Medical DIRECTOR for Honolulu; OPHTHALMOLOGISTS, several excellent openings throughout California; GENERAL PRACTITIONERS, an unusual number of associations available for General Practitioners locations in San Francisco and throughout northern California starting at \$1,000 up. For further information please contact Norma Rohl, THE MEDICAL CENTER AGENCY, 26 O'Farrell Street, San Francisco, YUkon 2-3412.

GENERAL PRACTICE, California city, 80 miles south of San Francisco. Preferable age 30 to 35. At least two years acceptable residency. New building, pleasant surroundings. Practice together with three other doctors. Start on salary and then have own practice. Box 93,190, California Medicine.

PHYSICIANS AND PSYCHIATRISTS FOR CALIFORNIA STATE STREAMLINED EMPLOYMENT PROCEDURE: By interview only (no written examinations). Interviews held periodically in California and nationwide. Wide choice of positions in 15 large State hospitals, institutions, and veteran homes. 40 hour week, liberal vacation and other benefits including generous retirement annuities. Annual salary increases. Three salary groups: \$10,860 to \$12,000; \$12,000 \$11,400 to \$12,600; \$12,600 to \$13,800. Candidates must be U. S. citizens and in possession of, or eligible for, California license. For full information write to Miss Carmack, Supervisor, Medical Recruiting, Box F, State Personnel Board, 801 Capitol Avenue, Sacramento, California.

CALIFORNIA LICENSED PHYSICIAN SURGEONS WANTED: Contact us for registration forms and information on our many excellent opportunities in California. Outstanding openings in GENERAL PRACTICE. INDUSTRIAL AND THE SPECIALTIES. .. associations, assistantships, groups, locations for private practice in NORTHERN. CENTRAL AND SOUTHERN CALIFORNIA. PACIFIC COAST MEDICAL BUREAU agy., 703 Market Street, SAN FRANCISCO, or 510 West Sixth Street, LOS ANGELES.

SITUATIONS WANTED

GENERAL PRACTITIONER—Main interest surgery. Age 45. 20 years practice Middle West. Desires relocation in California. Association or purchase of active practice. California licensed. Box 92,125, California Medicine.

1951 GRADUATE of the University of Oklahoma School of Medicine, now in general practice in small Oklahoma town, wishes to relocate to larger west coast community and associate with another physician or clinic. Married, military obligation satisfied, special interest in OB-GYN. Box 93,150, California Medicine.

PHYSICIAN, AGE 36, three years surgical training following three years general practice, service time completed. Desires association with surgeon, G.P. doing surgery, or a group. Will do general practice. California license. Box 93,215, California Medicine.

STABLE, CONSCIENTIOUS, MARRIED, M.D., educated at University of Southern California, interning at Los Angeles County General Hospital until July, 1957, wishes to practice family medicine in partnership or group outside Los Angeles, in medium to large California Community. E. D. Lawrence, M.D., Box 175, 1200 North State Street, Los Angeles, California.

INTERNIST, age 35, desires association with individual or group. Board eligible, California licensed. Military and Reserve commitments completed. Experienced in group practice. Conscientious, active and reliable. Available on short notice. Personal interview desired. Box 93,175, California Medicine.

OBSTETRICIAN-GYNECOLOGIST, Board Certified, University trained. California licensed. Age 39. Finishing military service June, 1957. Seeks practice opportunity, association, with individual or group. Box 93,195, California Medicine.

OB-GYN, Age 33, California License, Married, Category 4. Completing Residency June 1957. Two years General Practice experience. Desires association with individual or group. Seymour Polk, M.D., 2328 Carquinez Avenue, El Cerrito, California.

ORTHOPEDIC SURGEON, age 30, Board eligible, Priority IV draft. Licensed in Colorado, desires private association, or group practice, preferably in central or northern California. Available July 1, 1957. Contact W. H. Keener, M.D., 3906 Wyandotte, Kansas City, Missouri.

RADIOLOGIST—35 YEARS—Family. Diplomate. California license. Four years experience in therapy and diagnosis in hospital and large midwest clinic. Completing army service October 1, 1957. Desires combination private and hospital practice or hospital practice. Willing to cover two or more adjacent smaller communities. Box 93,210, California Medicine.

GENERAL SURGEON, 37, married, family, certified American Board of Surgery. At present Chief of Surgery, Government hospital, well qualified in general surgery, including traumatic orthopedics and urology. Previous experience in industrial surgery, desires return to private practice in California with another surgeon or group. Excellent references. Box 93,145, California Medicine.

GENERAL SURGEON, 35, Board Eligible, married, veteran. Have had four years surgical training in a university center. California license. Desires association with group or individual. Box 93,200, California Medicine.

SHARE SPACE. Young board eligible general surgeon desires to associate with specialist other than internist or pediatrician for purposes of sharing office space in the San Fernando Valley. Box 93,180, California Medicine.

SURGEON—Board Eligible (Recently completed Part I). 5½ yrs. training university hospitals and clinic; experienced general, thoracic and traumatic surgéry, desires location, or association individual group, clinic or hospital, coastal area, San Francisco, Bay Area or Northern California preferred. California licensed. Box 93,205, California Medicine.

UROLOGIST: Board Eligible, family, 35, desires location for private practice, or association with group, clinic or individual for practice of Urology. Licensed in California. Available immediately. Box 93,220, California


RESIDENT WANTED

SENIOR RESIDENT wanted Department Internal Medicine accredited County Hospital located 28 miles south of San Francisco. Excellent teaching program. Stipend \$400 plus maintenance. Must be citizen and eligible for State Board examinations. Apply J. Paul Sweeney, M.D., 222 39th Avenue, San Mateo, California.

LOCUM TENENS WORK WANTED

GENERAL SURGEON, Board Eligible, 36, desires to take over practice during Summer months, i.e., June, July, August and September, either for four months or any part of it. Box 93,225, California Medicine.

(Continued on Page 106)



When dietary discipline can't be maintained...



you can safely assign REVICAPS to police their appetite.

Hunger contractions as well as subjective feelings of hunger are effectively diminished by REVICAPS.

REVICAPS combine all three accepted adjuncts to reducing diets: d-amphetamine, methylcellulose, vitamins and minerals.

Include REVICAPS in the reducing regimen you prescribe.

Available on Prescription Only

REVICAPS*

reducing medication

Dosage: 1 or 2 capsules ½ to 1 hour before meals.



LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY, PEARL RIVER, NEW YORK *REG. U. S. PAT OFF.

Each capsule contains: d-Amphetamine Sulfate	Pyridoxine HCl (B ₆)0.34 mg. Folic Acid0.34 mg. Vitamin B ₁₂ 0.34 mcgm.	Iodine (KI) 0.5 m Fluorine (CaF2) 0.1 m Copper (CuO) 1 m
Vitamin D 167 U.S.P. Units Thiamine Mononitrate (B1) 1 mg. Riboflavin (B2) 1 mg. Niacinamide 20 mg. Calcium Pantothenate 0.34 mg.		

Lactosen

- A 100% PURE MILK FORMULA
 - NO SUBSTITUTE ANIMAL OR VEGETABLE FATS
 - HIGH IN READILY ASSIMILATED PROTEIN
 - FORTIFIED WITH VITAMINS A AND D AND IRON

FOR OVER A QUARTER CENTURY, AN UNEXCELLED RECORD IN SUCCESSFUL INFANT FEEDING



NESTLE A time-konored name in the field of Infant Nutrition



THE NESTLÉ COMPANY, INC., PROFESSIONAL PRODUCTS DIVISION, WHITE PLAINS, NEW YORK



PATIENTS SLEEP SOUNDLY with nonbarbiturate Doriden - 0.5 Gm. at bedtime. Onset of action is smooth and gradual (without preliminary excitation). Effect lasts 4 to 8 hours.




Doriden

SUPPLY: Tablets, 0.125 Gm. (white), 0.25 Gm. (white, scored), and 0.5 Gm. (white, scored).

PATIENTS AWAKE ALERT AND RE-FRESHED; Doriden is rapidly metabolized, allows restful natural slumber without hangover.

NEW MODERN SOLUTIONSimplifies Electrolyte Therapy




All three important factors in a single solution

better for most patients†

Each 1000 cc. contains: Hydrous Dextrose U.S.P., 50 Gm.; Absolute Ethyl Alcohol, 25.0 cc.; Sodium Lactate,* 5.30 Gm.; Sodium Chloride U.S.P., 5.0 Gm.; Potassium Chloride U.S.P., 0.75 Gm.; Anhydrous Citric Acid U.S.P., 0.54 Gm.; Calcium Chloride U.S.P., 0.35 Gm.; Magnesium Chloride Hexahydrate, 0.31 Gm.; Nicotinamide U.S.P., 100 mg.; Riboflavin U.S.P., 20 mg.; Thiamine Hydrochloride U.S.P., 10 mg.

*Bicarbonate precursor. †Assuming normal renal function.

DON BAXTER, INC., Glendale 1, California





Another Baxter First...a truly modern hospital procedure, better in every way for patient and staff. Adds dignity to the nursing profession. Prepackaged—easy to administer—disposable—economical. Saves time, saves money. Nurses everywhere ask for Baxter Disposable Oil Retention Enema (125 cc. Mineral Oil).

DON BAXTER, INC., Glendale 1, California

BAXTER

Medihaler

Means self-powered, uniform, measured-dose inhalation therapv... made possible by specially designed metered-dose valve . . .



Medihaler

Means true nebulization, Each measured dose provides 80 per cent of its particles in the optimal size range—0.5 to 4 microns radius-insuring effective penetration of the respiratory tract.

Medihaler

Means an unbreakable Oral Adapter-no movable partsno glass to break-no rubber to deteriorate . . .



Medihaler

Means notably safe and effective therapy when indicated for children. Medication is in leakproof plastic coated bottles ...





Medihaler

Medication and Adapter fit into neat plastic case, convenient for pocket or purse . . .

Medihaler

Means greater economy-no costly glass nebulizers to replace, and one or two inhalations usually suffices for prompt relief.





In Asthma

For Rapid Relief of Acute or Continuing Bronchospasm

Medihaler-Epi™


Riker brand of epinephrine 0.5% solution in inert, nontoxic aerosol vehicle. Each ejection delivers 0.125 mg. epinephrine. In 10 cc. vial with metereddose valve, sufficient for 200 inhalations.


Medihaler-Epi replaces injected epinephrine in emergency situations in which respirations have not ceased. It provides rapid relief in acute food, drug, or pollen reactions (including urticaria, bronchospasm, angioneurotic edema, edema of glottis, etc.). In most instances only one inhalation is necessary.

Medihaler-Iso™

Riker brand of isoproterenol HCl 0.25% solution in inert, nontoxic aerosol vehicle. Each ejection delivers 0.06 mg. isoproterenol. In 10 cc. vial with metered-dose valve, sufficient for 200 inhalations.

> Note: First prescription for Medihaler medications should include the desired medication





GEVRAL*

Since daily dosage is an important part of supplementation, GEVRAL is now packaged in a special JUBILEE JAR—an attractive container of 100 capsules for the family dining table. Specify GEVRAL. Your patients will remember to take their "vitamins" regularly when they have the JUBILEE JAR before them at mealtime.

GEVRAL is aptly formulated to meet the broad vitamin-mineral requirements of daily life. Balanced, comprehensive, GEVRAL provides 14 vitamins, 11 minerals and Purified Intrinsic Factor Concentrate. Dosage is only one *dry-filled* capsule daily.

Each GEVRAL capsule contains:

Vitamin A	5000 U.S.P. Units
Vitamin D	500 U.S.P. Units
Vitamin B ₁₀	1 mcgm.
Thiamine Mononitrate (B ₁)	5 mg.
Riboflavin (B ₉)	5 mg.
Niacinamide	15 mg.
Folic Acid	i mg.
Pyridoxine HCl (B ₀)	0.5 mg.
Ca Pantothenate	5 mg.
Choline Bitartrate	50 mg.
Inositol	50 mg.
Ascorbic Acid (C)	50 mg.
Vitamin E (as tocopheryl acetates)	10 I. U.
l-Lysine Monohydrochloride	25 mg.
Rutin	25 mg.
Purified Intrinsic Factor Concentrate	0.5 mg.
Iron (as FeSO ₄)	10 mg.
Iodine (as KI)	0.5 mg.
Calcium (as CaHPO ₄)	145 mg.
Phosphorus (as CaHPO ₄)	110 mg.
Boron (as Na ₂ B ₄ O ₇ •10H ₂ O)	0.1 mg.
Copper (as CuO)	1 mg.
Fluorine (as CaF ₂)	0.1 mg.
Manganese (as MnO ₂)	1 mg.
Magnesium (as MgO)	1 mg.
Potassium (as K ₂ SO ₄)	5 mg.
Zinc (as ZnO)	0.5 mg.

apy..Well tolerated

by

555 out of

563 patients

ferronord

"555 (98½%) patients tolerated this ferrous sulfate-amino acid complex (FERRONORD) without complaint."

"Extraordinarily well tolerated" in 120 obstetrical and gynecological patients.²

Well tolerated even in patients with peptic ulcer and gastritis.3



clinical response in days

 between-meal administration for better utilization

FERRONORD Dosage:

average adult dosage: Initially, 2 tablets twice a day; in severe cases, 2 tablets 3 times daily. Maintenance, 1 to 2 tablets daily. children's dosage: In proportion.

FERRONORD Supplied:

Bottles of 100 tablets. Each tablet supplies 40 mg. of ferrous iron.


- 1. Frohman, I. P.; Pomeranze, J.; Rummel, W.; Kircher, R. F.; Clancy, J. B.; Dwyer, T. A.; Wagner, H.; O'Brien, T. E.; Curley, R. T.; Jörgensen, G.; Onorato, R. R.; Ira, F.; Lee, Jr., J. G.; Gorla, W. O.; White, R. N.; Gadek, R. J.; Remy, D.: Scientific Exhibit, 6th International Congress of Hematology, Boston, Mass., August, 1956.
- 2. Wagner, H.: Landarzt 31:496, 1955.
- 3. Jörgensen, G.: Arztl. Wchnschr. 10:82, 1955.


*Pat. Pending. †a-aminoacetic-ferrous sulfate complex, exsiccated



NORDMARK PHARMACEUTICAL LABORATORIES, INC., IRVINGTON, N. J.

Suppliers of fine chemicals to the pharmaceutical industry for more than a quarter of a century.







- 1. This Knox booklet is based on nutritionally-tested Food Exchanges¹ and demonstrates that variety is possible for diabetic diets.
- 2. The easy-to-understand Food Exchanges simplify dietary control for the diabetic by eliminating calorie counting.
- 3. Diets promote accurate adjustment of caloric levels to the special needs of the patient, yet allow each individual considerable latitude in the choice of foods.
- **4.** Each booklet presents in addition 16 pages of appetizing, kitchen-tested recipes.


Chas. B. Knox Gelatine Co., Inc. Professional Service Dept. CB-22 Johnstown, N. Y.

Please send me dozen copies of the Knox diabetic brochure describing the use of Food Exchange Lists.

Your Name and Address



^{1.} The Food Exchange Lists referred to are based on material in "Meal Planning with Exchange Lists" prepared by Committees of the American Diabetes Association, Inc., and The American Dietetic Association in cooperation with the Chronic Disease Program, Public Health Service, Department of Health, Education and Welfare.





NOW_EFFECTIVE STEROID HORMONE THERAPY OF RHEUMATIC AFFECTIONS WITH GREATER SAFETY AND ECONOMY

PABALATE



Pabalate with Hydrocortisone

> Clinical evidence indicates that, in Pabalate-HC, the synergistic antirheumatoid effects of hydrocortisone,

salicylate, para-aminobenzoate, and ascorbic acid achieve satisfactory remission of symptoms in up to 85% of cases studied

- -with a much higher degree of safety
- -even when therapy is maintained for long periods
- -at significant economy for the patient

Each tablet of Pabalate-HC contains 2.5 mg. of hydrocortisone – 50% more potent than cortisone, yet not more toxic.

FORMULA

In each tablet:

Hydrocortisone (alcohol) 2.5 mg.
Potassium salicylate 0.3 Gm.
Potassium para-aminobenzoate 0.3 Gm.
Ascorbic acid 50.0 mg.

DOSAGE: Two tablets four times daily. Additional information on request.

AVAILABLE FOR YOUR PRESCRIPTION

NOW

A. H. ROBINS CO., INC. RICHMOND 20, VIRGINIA

Ethical Pharmaceuticals of Merit since 1878

Dexamyl* induces a mood of cheerfulness and optimism. Often, this is all that is needed to help the aged overcome their loneliness, the resentful feeling of being unwanted, the fears (imagined or real) of physical failings.

tablets • elixir • Spansule[†] capsules



smooth and subtle encouragement for the aged

Each 'Dexamyl' Tablet or teaspoonful (5 cc.) of the Elixir contains Dexedrine* (dextro-amphetamine sulfate, S.K.F.), 5 mg.; and amobarbital, ½ gr. Each 'Dexamyl' Spansule No. 1 slowly releases the equivalent of two tablets; each 'Dexamyl' Spansule No. 2 slowly releases the equivalent of three tablets.

Smith, Kline & French Laboratories, Philadelphia

*T.M. Reg. U.S. Pat. Off. †T.M. Reg. U.S. Pat. Off. for <u>sustained release</u> capsules, S.K.F.



Metamucil does both: produces soft, easy stools and stimulates normal peristalsis. Metamucil is effective in both the atonic and spastic types of constipation. "Smoothage" management of these conditions thus is accomplished without the use of laxatives.





Psyllium hydrophilic mucilloid with dextrose



Tastiest way to dissolve sore throat symptoms



(HYDROCORTISONE-BACITRACIN-TYROTHRICIN-NEOMYCIN-BENZOCAINE TROCHES)

Adult or juvenile, your patients with sore throats will welcome a course of HYDROZETS. These newest Merck Sharp & Dohme troches offer anti-inflammatory, anti-infective and analgesic properties that promptly alleviate distressing mouth or throat irritation whether caused by infection, mechanical injury or allergic reaction. And HYDROZETS taste so good, it's hard to believe they're medicine.

Formula: Each HYDROZETS Troche contains—2.5 mg. 'HYDROCORTONE' to reduce pain, heat and swelling; 50 units Zinc Bacitracin, 1 mg. Tyrothricin and 5 mg. Neomycin Sulfate to combat gram-positive and gram-negative bacteria; and 5 mg. Benzocaine for rapid soothing analgesia. Other indications: As adjunct therapy in aphthous ulcers, acute and chronic gingivitis and Vincent's infection.

Supplied: Vials of 12 troches



MERCK SHARP & DOHME

DIVISION OF MERCK & CO., INC., PHILADELPHIA 1, PA.


ORTHO'S MOST SPERMICIDAL CONTRACEPTIVE




maximum concentration of a new, most potent, well tolerated spermicide – effective and acceptable

"In our opinion, the new contraceptive cream [DELFEN vaginal cream], when used alone, is highly spermicidal, and a satisfactory method of conception control. Its relative simplicity makes it very acceptable to the patient."







NONHEMOLYTIC MICROCOCCUS AUREUS (363-418 STRAINS)



HEMOLYTIC MICROCOCCUS AUREUS (729-776 STRAINS)





AEROBACTER AEROGENES (153-193 STRAINS)

greater antibacterial efficacy...

Chloromycetin®

for today's problem pathogens

Because of the increasing emergence of pathogenic strains resistant to commonly used antibiotics, judicious selection of the most effective agent is essential to successful therapy. In vitro sensitivity studies serve as a valuable guide to the antibiotic most likely to be most effective. Both clinical experience and sensitivity studies indicate the greater antibacterial efficacy of CHLOROMYCETIN (chloramphenicol, Parke-Davis) treatment for many resistant infections.¹⁻⁷

CHLOROMYCETIN is a potent therapeutic agent and, because certain blood dyscrasias have been associated with its administration, it should not be used indiscriminately or for minor infections. Furthermore, as with certain other drugs, adequate blood studies should be made when the patient requires prolonged or intermittent therapy.

References (1) Altemeier, W. A.; Culbertson, W. R.; Sherman, R.; Cole, W.; Elstun, W., & Fultz, C. T.: J.A.M.A. 157:305 (Jan. 22) 1955. (2) Austrian, R.: New York J. Med. 55:2475 (Sept. 1) 1955. (3) Murphy, F. D., & Waisbren, B. A., in Murphy, F. D.: Medical Emergencies: Diagnosis and Treatment, ed. 5, Philadelphia, F. A. Davis Company, 1955, p. 557. (4) Weil, A. J., & Stempel, B.: Antibiotic Med. 1:319, 1955. (5) Jones, C. P.; Carter, B.; Thomas, W. L., & Creadick, R. N.: Obst. & Gynec. 5:365, 1955. (6) Kass, E. H.: Am. J. Med. 18:764, 1955. (7) Tebrock, H. E., & Young, W. N.: New York J. Med. 55:1159 (Apr. 15) 1955.

*This graph is adapted from Altemeier, Culbertson, Sherman, Cole, Elstun, & Fultz.¹



PARKE, DAVIS & COMPANY

DETROIT, MICHIGAN

EVERY WOMAN

WHO SUFFERS

IN THE

MENOPAUSE

DESERVES

"PREMARIN"

widely used natural, oral estrogen

AYERST LABORATORIES

New York, N. Y. • Montreal, Canada

5646

CLASSIFIED ADVERTISEMENTS

(Continued from Page 84)

PRACTICES FOR SALE

EXCELLENT MEDICAL OPPORTUNITY! Move into established practice of physician recently deceased. Approximately 2,000 square feet of office space. Majority of doctor's patients desire to continue in same location. Purchase of equipment and supplies only requisite. For further information, contact Kern County Medical Society, Box 1, 2603 "G" Street, Bakersfield, California.

FOR SALE—Recently established General Practice in San Fernando Valley—Grossing \$24,000—Very reasonable. Terms: Assume only equipment and lease. (Leaving State to return East). Box 92,235, California Medicine.

ACTIVE GENERAL PRACTICE in the Newport Harbor area For Sale.

Doctor leaving for residency in July, 1957. 1879 Newport Avenue, Costa Mesa, California.

APPARATUS, ETC., FOR SALE

FOR SALE: Very little used Profex 25 MA, table model X-Ray, Timer, Measuring rod, Lead letters, 14x17 and 8x10 Cassettes, Film holders and two tanks. Used very little, Bargain, Not in practice reason for selling, Terms to suit, 106 Seaview Drive, El Cerrito, California.

INSTALLED IN LARGE QUARTERS, good location, three X-ray outfits of three sizes, portable, medium, with bucky table and large Westinghouse tilt, fluo-roentgenographic and to 230 KV, therapy, Instruments, tables, furniture, shock and pneumothorax equipment, "r" meter. Would send photographs and prices of part or all F.O.B. here. C. Ernest Piersall, M.D., 221 South Fifth, Las Vegas, Nevada.

OFFICES FOR RENT OR LEASE

FOR RENT—Location for specialist in growing community in centrally located Medical Building in suburban metropolitan area of Oakland, California. Excellent opportunity for dermatologist, neurosurgeon. obstetrician-gynecologist, orthopod, otolaryngologist, pathologist, pediatrician, radiologist, urologist, Reasonable rent. Now available. San Leandro Medical Building Co., 1556 Leonard Drive, San Leandro. California. TRinidad 2-9200.

DELUXE SUITES, three (3) available. Eden Medical Building, the only medical building directly across from a new 250-bed hospital, located in Castro Valley, with 40,000 population, Alameda County, California. Terrific opportunity for GP or Orthopedic specialty. Rent approximately 35c per sq. ft. Pick your own colors and layouts. For further information write Eden Medical Building Corp., 14222 East 14th Street, San Leandro, California.

FOR LEASE—Concord, California—Street level; modern doctor's office—with parking—situated in main part of Concord. Can accommodate two. Has been used by General Practitioner for seven years. Write Mrs. F. J. Morley, 2030 Park Street, Concord, California.

ATTENTION E.E.N.T. Our Community needs this service, Approximately 30,000 population. No competition. For lease. Attractive suite with living quarters for physician. Located at 224 South Church Street in fog and smog free Grass Valley. Close to hunting, fishing, boating and winter sports. Two hours to Lake Tahoe or Squaw Valley. Inquire Frank Kieffer, 107 Bank Street, Grass Valley, California.

STOCKTON, CALIFORNIA, MEDICO-DENTAL BUILDING. Opportunity in fast growing Stockton for internists, pediatricians, ENT, general practitioners. Stockton is rated as one physician to 1350 per capita. This is a 12 story, Class "A," air conditioned building catering exclusively to the medical profession. Complete facilities. Ample parking. Convenient to all transportation. OAKLAND, CALIFORNIA, MEDICAL CENTER BUILDING. Oakland's complete medical center on "The Hill." Adjacent to three leading hospitals, the new convalescent hospital, and all medical facilities, Medical Center Building is a five story, Class "A" structure catering exclusively to the medical profession. Strategically located at Summit and Thirtieth Streets, the hub of "The Hill." Convenient to transportation and parking. For information regarding available suites in either building telephone GLencourt 1-9911, or write Bay Cities Properties, 411 30th Street, Room 207, Oakland, California.

(Continued on Page 118)



SYMPTOMATIC

RELIEF...PLUS!

ACHROCIDIN

TETRACYCLINE-ANTIHISTAMINE-ANALGESIC COMPOUND

Tablets and Syrup ACHROCIDIN is particularly valuable in treating acute respiratory infections during epidemics or when questionable middle ear, pulmonary, nephritic, or rheumatic signs are present.

ACHROCIDIN offers early, potent therapy against such disabling complications as otitis media, sinusitis, bronchitis to which the patient may be highly vulnerable at this time.

Included in the comprehensive ACHROCIDIN formulation are the analgesic components recommended for prompt relief of common cold symptoms.

Adult dosage for ACHROCIDIN Tablets and new, caffeinefree ACHROCIDIN Syrup is two tablets or teaspoonfuls of syrup three or four times daily. Dosage for children according to weight and age.

Available on Prescription Only Each tablet contains:

ACHROMYCIN®
Tetracycline

Phenacetin 120 mg.

Caffeine Salicylamide Chlorothen Citrate

30 mg. 150 mg.



LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY, PEARL RIVER, NEW YORK

Erythromycin in Treating Pneumonia

A 27-year-old man, a chronic alcoholic, was admitted with a hotory of an alcoholic spree followed by a cough, greenish sputum and chills and fever.

Physical examination showed a temperature of 104 F. and indicated pneumonia in the right lower lobe. This was confirmed by X-ray. The sputum revealed gram-positive diplococci and blood culture subsequently grew Type VII pneumococci.

The patient was treated with erythromycin, 300 mg. every six hours per os. His temperature dropped to normal by 48 hours and X-ray of the chest revealed considerable clearing by the fourth hospital day. After 10 days hospitalization, the patient was fit for discharge.

First Antibiotics Symposium, we reported the successful treatment with mromycin of *H. influenzae* pneumonia and bacteremia. A second patient with *H. influenzae* pneumonia and bacteremia had a clinical course almost identical to the one previously reported, with cure obtained by treatment with 500 mg. of erythromycin per os every four hours for 14 days.

Of these 132 patients with bacterial pneumonia, 127 (96%) had a good clinical result. One patient with lobar pneumonia had a good initial

"Highly Effective in Pneumonia"

In one investigation, 75 adult patients with bacterial pneumonia were treated with erythromycin. In his summary, the clinician reported: "It is concluded that erythromycin is highly effective in the treatment of pneumonia due to gram-positive bacteria,"²

This, of course, is only one of many reports showing the effectiveness of ERYTHROCIN against coccic infections. You'll get the same good results (nearly 100% in common, bacterial respiratory infections) when you prescribe ERYTHROCIN.



Erythromycin, Abbott)


STEARATE

"No Serious Side Effects Occurred"

After a study of 171 patients treated with erythromycin, the investigator wrote: "No serious side effects occurred with prolonged therapy or with doses up to 8 Gm. per day in the severe infections."

Actually, ERYTHROCIN stands on a remarkable record of safety. After four years, there's not a single report of a severe or fatal reaction attributable to erythromycin. In addition, you'll find allergic manifestations rarely occur. Filmtab ERYTHROCIN Stearate (100 and 250 mg.), in bottles of 25 and 100.

® Filmtab—Film-Sealed tablets, Abbott; pat. applied for.



 Romansky, M.J., et al., Antibiotics Annual 1955-1956, p. 48,
 Waddington, W. S., Maple, F. C., and Kirby, W. M. M., A.M.A. Archives of Internal Medicine, 1954, p. 556.

701061



PFIZER LABORATORIES

Division, Chas. Pfizer & Co., Inc., Brooklyn 6, New York

America's

authentic

health

magazine

hundreds of practical facts on personal and family health.
Articles are non-technical, easy-to-read, authoritative.
Published monthly.
Readers of TODAY'S HEALTH not only find the magazine personally valuable, but they are better able to further the development of a sound health program in the local community —your home, your school,


TODAY'S HEALTH brings you

today's health MAGAZINE

your place of employment.

Published monthly by the American Medical Association

535 North Dearborn Street Chicago 10, Illinois



Protection against loss of income from accident and sickness as well as hospital expense benefits for you and all your eligible dependents.



PHYSICIANS CASUALTY & HEALTH ASSOCIATIONS

OMAHA 2, NEBRASKA

Since 1902

Protect These Vital Areas in Acute Thrombosis

Sodium Heparin U.S.P. Aqueous

...Immediate and positive action has established the reliability and effectiveness of heparin therapy during acute thromboembolic episodes... especially when the patient prognosis is poor.


...LIPO-HEPIN 2001 facilitates administration, lowers patient cost, and requires only one or two daily injections to establish2 the desired anticoagulant effect (regardless of patient weight).

¹Sodium heparin U.S.P. aqueous, 2 cc or 10 cc multiple dose vial, 20,000 U.S.P. units (200 mgs.) per cc. For intravenous, intramuscular or subcutaneous use. Also available in concentrations of 10, 50 and 100 mgs. per cc.

²Clotting times are not suggested from the standpoint of avoiding danger in either the hospitalized or ambulatory patient when lipo-Hepin dosage schedule and injection technique is used. Clotting times may be taken during initial therapy to insure adequate effect. (Literature available on request.)



There is growing evidence of the use of heparin in the treatment of abnormal lipid derangements. Literature available on request



* REGISTERED TRADE MARK

DARWIN

LOS ANGELES NEW YORK CHICAGO

Laboratories

MAIN OFFICE: 8240 SANTA MONICA BOULEVARD, LOS ANGELES 46, CALIFORNIA CENTRAL DIVISION: 55 EAST WASHINGTON BOULEVARD, CHICAGO 2, ILLINOIS

Even stubborn trichomoniasis yields... because Tricofuron is effective

during menstruation,

the critical time

for therapy.



Recurrences of trichomoniasis "are most likely to follow the menstrual period."

"Over and over again today patients are seen with what is said to be an intractable, treatment-resistant Trichomonas infestation, but history-taking often reveals that such patients have never had treatment prescribed during any menstrual period."²

Menstrual blood in the vagina "forms an excellent medium for the rapid multiplication of T. vaginalis" and "lowers the acidity of the vagina and hence there is a tendency to recrudescence [of trichomoniasis] at that time."

Tricofuron is powerfully trichomonacidal "even in the presence of vaginal debris and menstrual blood."³ For 44 of 48 patients: lasting cure was obtained with a single course of Tricofuron therapy.³

Vaginal Suppositories—for home use—each morning and night through one cycle, including the important menstrual days. Contain 0.25% Furoxone® (brand of furazolidone) in a water-miscible base. Box of 12, each sealed in green foil.

Vaginal Powder—for office use—applied by the physician at least once a week, except during menstruation. Contains 0.1% Furoxone in an acidic powder base of lactose, dextrose, citric acid and a silicate. Bottle of 30 Gm.

References: 1. Bernstine, J. B., and Rakoff, A. E.: Vaginal Infections, Infestations and Discharges, New York, The Blakiston Company, Inc., 1953, p. 235. 2. Overstreet, E. W.: Arizona M. 10:383, 1953. S. Schwartz, J.: Obst. Gyn., N. Y. 7:312, 1956. 4. Crossen, R. J.: Diseases of Women, St. Louis, The C. V. Mosby Company, 1953, p. 292.

EATON LABORATORIES

NORWICH, NEW YORK

Nitrofurans-a new class of antimicrobials-neither antibiotics nor sulfonamides

POSTGRADUATE INSTITUTE

WEST COAST COUNTIES

Presented by Postgraduate Activities Committee of the California Medical Association, in cooperation with University of Southern California School of Medicine, Los Angeles, Phil R. Manning, M.D., Director of Postgraduate Division.

Golden Bough Theater and La Playa Hotel **CARMEL... MARCH 7 and 8, 1957**

PROGRAM_

Thursday Morning, March 7

INTERNAL MEDICINE

9:00-10:45-Lectures, Golden Bough Theater-The Differential Diagnosis of Jaundice. Thomas H. Brem. M.D.

Electrolyte Problems. Telfer B. Reynolds, M.D. Treatment of Diabetes. Helen E. Martin, M.D. Nephrosis and Nephritis. Ralph E. Homann, Jr., M.D.

11:00-12:00-Three Concurrent Panel Discussions-La Playa Hotel (Three faculty members each; you may go to one of your choice.

Acute Pancreatitis.

Recent Advances in Treatment in Internal Medicine. Cardiac Patient in Pregnancy.

12:15-1:45-Lunch.

The Role of the California Medical Association in Postgraduate Medical Education. Edward C. Rosenow, Jr., M.D.

Thursday Afternoon, March 7

OBSTETRICS AND GYNECOLOGY

2:00-3:40-Lectures, Golden Bough Theater-Office Gynecology. George A. Macer, M.D. Pelvic Pain. Charles F. Langmade, M.D. Dystocia. Bernard J. Hanley, M.D. Obstetrical Anesthesia. Judson S. Denson, M.D.

4:00-5:00—Three Concurrent Panel Discussions, La Plava Hotel. (Three faculty members each; you may go to one of your choice.)

Low Back Pain.

Acute Abdomen in Pregnancy.

The Diabetic in Pregnancy.

8:00-Joint Dinner Meeting with Monterey County Medical Society at La Playa Hotel. Wives are invited to

Cardiology of Yesterday, Today and Tomorrow. George C. Griffith, M.D.

Friday Morning, March 8

SUDGEDY

9:00-10:45-Lectures, Golden Bough Theater-Vascular Surgery. Herbert J. Movius, II, M.D. Diagnosis of Acute Abdomen. E. M. Greaney, M.D. Treatment of Burns. Irving A. Meeker, Jr., M.D. Management of Upper G.I. Bleeding. E. M. Greaney,

11:00-12:00-Three Concurrent Panel Discussions, La Playa Hotel. (Three faculty members each; you may go to one of your choice.)

> Diagnosis of the Acute Abdomen in Childhood. Electrolyte Problems in Surgical Patients. Immediate Management of Traumatic Conditions.

12:15-1:45-Lunch.

Goals in Postgraduate Medical Education. Phil R. Manning, M.D.

Friday Afternoon, March 8

2:00-3:45-Lectures, Golden Bough Theater-

Orthopedic Problems in General Practice. Lorin L. Stephens, M.D.

Newborn Emergencies. Merl J. Carson, M.D. Anesthesia in Pediatrics. Judson S. Denson, M.D.

4:00-5:00—Three Concurrent Panel Discussions, La Playa

Management of Bacterial Infections.


Metabolic Bone Diseases.

Treatment of Anemias.

Each panel discussion will be led by three faculty members and one physician from the community. You may go to one of your choice.

HOSTS: Monterey County Medical Society . . . REGIONAL CHAIRMAN: Edwin W. Tucker, M.D., 1073 Cass Street, Monterey . . . FEE: \$15.00. For additional information, contact Postgraduate Activities office, California Medical Association, 417 South Hill Street, Los Angeles 13. Special room rate at La Playa Hotel: \$8.00, single; \$10.00, double. Make hotel reservations early directly with hotel.

All California Medical Association Members are cordially invited to attend. Special activities are planned for wives during entire two days by Woman's Auxiliary, Monterey County Medical Society.



Relieves cough quickly and thoroughly • Effect lasts up to six hours permitting a comfortable night's sleep • Controls useless cough without impairing expectoration • Rarely causes constipation

Syrup and oral tablets. Each teaspoonful or tablet of HYCODAN* contains 5 mg. dihydrocodeinone bitartrate and 1.5 mg. MESOPIN.† Average adult dose: One teaspoonful or tablet after meals and at bedtime. May be habitforming. Available on your prescription.


ENDO LABORATORIES INC. Richmond Hill 18, New York thrand of homatropine methylbromide



*IL C Par 2 630 400



Anti-inflammatory -- Decongestant-Antibacterial




Topically applied hydrocortisone¹ in therapeutic concentrations has been shown to afford a significant degree of subjective and objective improvement in a high percentage of patients suffering from various types of rhinitis. Hydrospray provides Hydrocortone in a concentration of 0.1% plus a safe but potent decongestant, Propadrine, and a wide-spectrum antibiotic, Neomycin, with low sensitization potential. This combination provides a three-fold attack on the physiologic and pathologic manifestations of nasal allergies which results in a degree of relief that is often greater and achieved faster than when any one of these agents is employed alone. INDICATIONS: Acute and chronic rhinitis, vasomotor rhinitis, perennial rhinitis and polyposis.

SUPPLIED: In squeezable plastic spray bottles containing 15 cc. Hydrospray, each cc. supplying 1 mg. of Hydrocortone, 15 mg. of Propadrine Hydrochloride and 5 mg. of Neomycin Sulfate (equivalent to 8.5 mg. of neomycin base).



REFERENCE: 1. Silcox, L. E., A.M.A. Arch. Otolaryng. 60:431, Oct. 1954.



New and different entirely different laxative suppository with enema-like with enema-like

PHARMALAX®

represents a new, effective and acceptable way to treat constipation. Through the release of carbon dioxide in the rectum, Pharmalax-suppositories stimulate the normal defecation reflex mechanism in a physiological way.

OF BICARBONATE-BITARTRATE MIXTURE

better than an oral laxative...

because it induces defecation within about 30 minutes, without causing systemic effects, interrupting normal digestive processes or leading to habituation.

better than an enema...

because it is much simpler to use, causes less discomfort, and is more acceptable to the patient.

indicated whenever laxation is needed...

particularly valuable in nursing mothers, because it does not purge the baby, and for children because of its ease of administration and gentle action.

the rapid action of Pharmalax

is of special value in a program of bowel retraining since it permits coordination of the effect of the suppository and of meals on the gastrocolic reflex.

Each suppository contains sodium bicarbonate, 0.6 Gm., and potassium bitartrate, 0.9 Gm. in a special inert base, and is coated with cocoa butter for easy insertion.

Supplied in boxes of 12 and 60.

Samples and literature on request.



PHARMACIA LABORATORIES, Inc. 270 Pork Avenue. New York 17, N.Y.

Pharmacia — the originators of Dextran

Signamycin* Signa

added certainty
in treatment
of respiratory
infections

new multi-spectrum synergistically strengthened antibiotic formulation

SIGMAMYCIN adds certainty in antibiotic therapy, particularly for the 90% of patients treated at home or in the office where sensitivity testing may not be practical, and provides: a new maximum in therapeutic effectiveness, a new maximum in protection against resistance, a new maximum in safety and toleration.

Supply: Capsules, 250 mg. (oleandomycin 83 mg., tetracycline 167 mg.). Bottles of 16 and 100.


... and for a new maximum in palatability

New mint-flavored Sigmamycin for Oral Suspension, 1.5 Gm. in 2 oz. bottle; each 5 cc. teaspoonful contains 125 mg. (oleandomycin 42 mg., tetracycline 83 mg.).

*Trademark



PFIZER LABORATORIES, Division, Chas. Pfizer & Co., Inc., Brooklyn 6, N. Y. World leader in antibiotic development and production



"...effective...in the treatment of a variety of infections seen regularly by the practicing clinician..." including pharyngitis, bronchitis and other respiratory infections

and "... often useful in the treatment of infections due to staphylococci resistant to one or several of the regularly used antibiotics"

"side effects . . . [are] notable by their absence" 1

1. Carter, C. H., and Maley, M. C.: Antibiotics Annual 1956-1957, New York, Medical Encyclopedia, Inc., 1957, p. 51.

Rauwiloid®

A Widely Preferred Antihypertensive

... because Rauwiloid (alseroxylon) is outstanding for its effectiveness and safety ... because minimal dosage adjustment is necessary ... because the incidence of depression is low ... because up to 80% of patients with mild labile hypertension and many with more severe forms respond to Rauwiloid as the sole medication.

An Effective Tranquilizer, too

... because Rauwiloid's nonsoporific sedative action relieves anxiety in a long list of unrelated diseases not necessarily associated with hypertension... without masking of symptoms... without impairing intellectual or psychomotor efficiency.

Dosage: Simply two 2 mg. tablets at bedtime.

After full effect one tablet suffices.

Best first step when more potent drugs are needed

Rauwiloid is recognized as basal medication in all grades and types of hypertension. In combination with more potent agents it proves synergistic or potentiating, making smaller dosage effective and freer from side actions.

Rauwiloid®+Veriloid®

In moderate to severe hypertension this single-tablet combination permits long-term therapy with dependably stable response. Each tablet contains 1 mg. Rauwiloid and 3 mg. Veriloid (alkavervir). Initial dose, 1 tablet t.i.d., p.c.

Rauwiloid*+

Hexamethonium

In severe, otherwise intractable hypertension this single-tablet combination provides smoother, less erratic response to hexamethonium. Each tablet contains 1 mg. Rauwiloid and 250 mg. hexamethonium chloride dihydrate. Initial dose, ½ tablet q.i.d.

Riker LOS ANGELES



immune globulin/ Cutter

• derived from freshly pooled, adult venous blood.

• concentrated — 20 to 1 normal antibody equivalents.

• high poliomyelitis antibody level — tested according to U.S.P.H.S. specifications.

• also recommended for prevention of paralytic poliomyelitis and infectious hepatitis, and treatment of hypogammaglobulinemia.

